



CONTENTS

Driveshaft Assembly	1
Double Cardan	9
Driveshaft Components (For USA)	10
Driveshaft Components (For JAPAN)	20
Driveshaft Components (For GWB)	33
Driveshaft Components (For SCANIA)	37
Steering Joints & Shafts	38
Universal Joints	45

Empower Your Journey

DRIVESHAFT ASSEMBLY
JEEP
JK HD1350 DRIVESHAFT D44 AXLE

IJE NO.	ITEM NO.	DESCRIPTION	YEAR
DS-AS-E-084	3512JK-24F	925mm (Original length)	2012-2018
DS-AS-E-085	3512JK-2R	553mm, 2 door rear driveshaft (original style)	2012-2018
DS-AS-E-086	3512JK-4R	1085mm, 4 door rear driveshaft (original style)	2012-2018


JL HD1350 DRIVESHAFT D44 AXLE

IJE NO.	O.E. NO.	DESCRIPTION	MODEL
DS-AS-E-4585F	3518JL-24F	925mm, 1350 Front (original style)	2018-2023
DS-AS-E-4586R	3518JL-4	1157mm, 1350 Rear (original style)	2018-2023


JL HD1310 DRIVESHAFT D44 AXLE

IJE NO.	O.E. NO.	DESCRIPTION	MODEL
DS-AS-JL-24F18	3118JL-24F	1116mm, Front	2018
DS-AS-JL-4R18	3118JL-4R	1324mm, Rear	2018-2023


JT HD1350 DRIVESHAFT D44 AXLE

IJE NO.	O.E. NO.	DESCRIPTION	MODEL
DS-AS-E-112	3519JT-F	925mm, 1350 front (original style)	2018-2023
DS-AS-E-19JT70	3519JTRR	1670mm, 1350 Rear (original style)	2019-2023 Gladiator





CHEVROLET

O.E. NO.	DESCRIPTION	MODEL	YEAR
22845694	922mm, front	SILVERADO 1500	2007-2013
15271491	1640mm, rear	SILVERADO 1500	2007-2013



22845694



15271491

DODGE

O.E. NO.	DESCRIPTION	MODEL	YEAR
52123021AE	840mm, front, 3.0L, 3.6L, 5.7L	RAM1500	2012-2018
68034653AB	1891mm, rear, 3.0L	RAM1500	2012-2018
52105930AA	786+50mm, front, 5.7L	RAM2500, 3500	
52123159AA	2525mm, rear, 5.7L	RAM2500	2003-2009



52123021AE



68034653AB



52105930AA



52123159AA

FORD

IJE NO.	ITEM NO.	DESCRIPTION	APPLICATION	YEAR
DS-AS-F-MB3W4602	MB3W4602	1335mm NEW	BRONCO	2021-2024



MB3W4602

DRIVESHAFT ASSEMBLY



37110-60380 / 60530



37120-0K820



37140-35090



37110-0K820 / 0KG70

IJE NO.	O.E. NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
TOYOTA					
DS-AS-T-001	37140-60280		LANDCRUISER	HZJ75 1990-1999	
DS-AS-T-002	37110-60380 / 60530	1325mm GUT-20	LANDCRUISER	HJ75 / HZJ75 / FJ75 1984-1990	Y
DS-AS-T-003	37140-35030 (35060)	640mm GUT-21	LANDCRUISER / HILUX		
DS-AS-T-004	37120-35160	600mm		4 RUNNER TRUCK, PICKUP	
DS-AS-T-005	37200-0W700	630mm GUN-46			
DS-AS-T-007	37140-60120	630mm	LANDCRUISER		
DS-AS-T-008	37110-60390	645mm, YEAR 84~89	LANDCRUISER	LJ70	
DS-AS-T-011	37110-20040	1317.5mm SHORT, GUT-13		KE-20 / KF-40	
DS-AS-T-012	20040 LONG	1503.5mm LONG, GUT-13		KE-20	
DS-AS-T-015	37110-35250	740.5mm GUT-21			
DS-AS-T-014		1385mm GUT-21			
DS-AS-T-016	37140-0K030SP	600mm GUT-21			
DS-AS-T-017	37100-0K030	895mm GUT-21			
DS-AS-T-018	37120-0K030SP	725mm GUT-21			
DS-AS-T-021	37120-36310	1029mm		BU30 RR	
DS-AS-T-022	37110-36310	745mm, FRONT		BU30	
DS-AS-T-023	37140-60170	620mm			
DS-AS-T-026	37110-36160	610mm			
DS-AS-T-027	37110-60520	1220mm			
DS-AS-T-028	37110-60620	1430mm			
DS-AS-T-038	37140-35090(35071)	640mm GUT-21 BOLT 62 X 70	LANDCRUISER		Y
DS-AS-T-041	37110-0W060	RR	RINO	XZU342	
DS-AS-T-042	37120-0W072	FRONT	RINO	XZU342	
DS-AS-T-045	37110-BZ020	930mm	AVANZA 2007		
DS-AS-T-054	37110-6A260	1440mm GUT-20	LANDCRUISER	HZJ79 / HDJ79/VDJ79	
DS-AS-T-055	37140-60250	95mm GUT-21			
DS-AS-T-057	37110-60450/6A330	1155mm GUT-20	LANDCRUISER	FZJ105 / HZJ105L	
DS-AS-T-059	37140-35190	710mm GUT-21	LANDCRUISER		
DS-AS-T-072	37140-0K010	625mm			
DS-AS-T-076	37120-0K820	REAR, WITHOUT CENTER BEARING			Y
DS-AS-T-078	37110-0K820 / 0KG70	FRONT			Y

DRIVESHAFT ASSEMBLY

MR-389336

3401A228

FUSO FN527

IJE NO.	O.E. NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
MITSUBISHI					
DS-AS-M-001	MB-563106-F	870mm (M75), FRONT		FE-119 (PS120)	
DS-AS-M-004	MB-000225	893.5mm	CANTER OLD	PS238	
DS-AS-M-006	MC-892781	SHAFT ONLY, REAR ONLY		PS-135,FE37	
DS-AS-M-009	MB-154487			L-300 DSL RR,L-038	
DS-AS-M-010-1	MC-075256	1018.25mm, REAR		FE447 PS-135	
DS-AS-M-011	MC-829200	GUM-75	CANTER NEW	FE-119 (PS120)	
DS-AS-M-012	MB-154630			L-300DLX	
DS-AS-M-013	MR-389336	1550mm		L200 K77T 2800CC	Y
DS-AS-M-014	MB-000270	910mm, FRONT		FE114 (PS100)	
DS-AS-M-015	MB-000480	623mm GUMZ-1, SHAFT ONLY		T-120	
DS-AS-M-021	MR-196385	1850mm	2WD		
DS-AS-M-022	MR-111779	602mm GUM-81		L200	
DS-AS-M-023	MN-168567	REAR	TRITON 2800CC	KB7T L-200	
DS-AS-M-024	3401A228	FRONT	TRITON 2800cc	KB7T L-200	Y
DS-AS-M-029	MR-389334	1550mm	2500CC	L200 K74T	
DS-AS-M-031		627mm	FUSO		
DS-AS-M-032	3401A550	680mm, FRONT		L200 KB4T	
DS-AS-M-033	3401A942	1467mm, REAR		L200	
DS-AS-M-527		570mm	FUSO	FN527	Y
MITSUBISHI SPINDLE					
D-OT-032	52100-5A022	[SPINDLE] 4D34 LH		4D34	
D-OT-033	52100-5A021	[SPINDLE] 4D34 RH		4D34	


1-37171058-0

2619-17

37140-87608

IJE NO	O.E. NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
ISUZU					
DS-AS-IS-005	8-97036-100-A	C-240, GUIS-52, TUBE YOKE + FLANGE YOKE			
DS-AS-IS-006	8-94368-328-0	1480mm, GU-500	PANTHER 2.3	KBD26	
DS-AS-IS-015	1-37171058-0	405.5mm	DECA270		Y
PEUGEOT					
DS-AS-E-004	2619-17		504 Crank		Y
DS-AS-E-005	2619-16		404 Crank		
DAIHATSU					
DS-AS-D-002	F-50	1025.5mm IJD-84		F-50	
DS-AS-D-003	37140-87608	635mm IJD-88		F70 / F80	Y
DS-AS-D-004	37110-87534	622.25mm		S89	
DS-AS-D-005	37110-JUMBO	767.25	JUMBO	S89	
DS-AS-D-006	37110-87520	505mm		S75	
DS-AS-D-008	37110-87126	1260mm	TAFT		
DS-AS-D-009	37110-87140	1400mm	TAFT		
DS-AS-D-010	37110-87131	1310mm	TAFT		
DS-AS-D-012	37110-87539	667.25mm		S88	

DRIVESHAFT ASSEMBLY

27100-77310

NA01-25-100

37120-1220

NA01-25-100C

37200-EB300

IJE NO.	O.E. NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
SUZUKI					
DS-AS-S-002	27100-77310	730mm GUS-7		T-5	Y
DS-AS-S-003	27100-775MO	763.5mm GUS-7	FUTURA		
DS-AS-S-004	27151-72100	717mm GUS-1		ST-100	
MAZDA					
DS-AS-F-001	NA01-25-100	753.7mm U-JOINT=MAZDA-9, FRONT SHAFT			Y
DS-AS-F-002	SA53-25-100C	FORD RR	ESCAPE 2.3/3.0 OL SUV		Y
DS-AS-F-003	MA10-27-700	356mm, FRONT DIFFERENTIALS			
DS-AS-MZ-001	S027-11-1969	WITH GUMZ-9			
DS-AS-MZ-002	P071-25100	MAZDA WITH GUMZ-6, L : 980mm			
HINO					
DS-AS-H-001	37120-8140	612mm GUH-72			
DS-AS-H-002	37120-1220	513.2mm GUH-77 44*125.5			Y
DS-AS-H-003 / 006	37120-6962	854.5mm GUH-72			
DS-AS-H-004	37120-6860	1181mm GUH-73			
DS-AS-H-005	37120-8931	594mm GUH-72			
NISSAN					
DS-AS-N-003	37030-91201	1355mm GUN-41		RD8	
DS-AS-E-064	37200-EB300	6931	NAVARA D40		Y



PTO 2.5T / 8T

42110-WU340

IJE NO.	O.E. NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
HEAVY DUTY - PTO					
DS-AS-DUMP-007		18 SPLINES, WITH OR WITHOUT TUBE	2.5 TON		
DS-AS-DUMP-012		8 SPLINES, WITH OR WITHOUT TUBE	8 TON		
TOYOTA HOUSHING END					
D-OT-041	42110-BY430		RINO 14B		
D-OT-042	42110-WU340	LEFT	RINO HT-125		
D-OT-043	42110-WU340	RIGHT	RINO HT-125		Y
D-OT-044	42110-WU300	LEFT	RINO LT-125		
D-OT-045	42110-WU300	RIGHT	RINO LT-125		

IJE NO.	O.E. NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
SLIDING ASSY					
DS-AS-T-068		[SLIDING ASSY] 37302-55030 SY+37301-55020 TS	TOYOTA		
DS-AS-T-070		[SLIDING ASSY] 7302-36010 SY + 37301-60010 TS +DUST TUBE	TOYOTA		
DS-AS-T-071		[SLIDING ASSY] 37302-35021 + NS203 + DUST TUBE	TOYOTA		
DS-AS-IS-002		[SLIP ASSY] C-240 SLIP YOKE + TUBE SHAFT	ISUZU		
DS-AS-IS-005	8-97036-100-A	[FLANGE ASSY] TUBE YOKE + SLIP YOKE	ISUZU	C-240	
DS-AS-IS-010		[SLIP ASSY] GUMZ-6 SY + TS	ISUZU		
DS-AS-IS-011		[SLIP ASSY] GUIS-66 SY + TS	ISUZU		
DS-AS-M-036		[SLIP ASSY] 293010, F + UJ + SY + TS	MITSUBISHI	CANTER NEW	
DS-AS-M-037		[SLIP ASSY] F + UJ + SY + TS	MITSUBISHI	CANTER OLD	
DS-AS-M-038		[SLIP ASSY] 293010 SY + TS	MITSUBISHI		

DOUBLE CARDAN



IJE NO.	OE NO.	HOLE PATTERN	HOLE DIA.	TUBE BUTT	APPLICATION	REMARK	FIG.
TOYOTA DOUBLE CARDAN							
DS-AS-T-010	FTL-101A	60*68.5	10.3	62	HILUX		Y
DS-AS-T-039		62*70	10.3	62	HILUX		
DS-AS-T-053	0078922	60*60	10.3	62	HILUX, LANDCRUISER		
DS-AS-T-065	FTL-83	60*68	8.2	62	HILUX		
DS-AS-T-064	FTL-101BF	NO	NO	62		custom hole dia.	



IJE NO.	LENGTH (END OF FACE TO WELD BUTT)	SPIGOT	HOLE PATTERN	HOLE DIA.	FIT TUBE	REMARK	FIG.
1310 DOUBLE CARDAN							
DS-AS-E-105	105.9		38.1*59.54		3"	U-BOLT FACE	
DS-AS-E-106	105.9		38.1*59.54		2"	U-BOLT FACE	
1350 DOUBLE CARDAN							
DS-AS-E-089	150.2	50.9	76.4*76.4	12.5	2"	FLANGE FACE	FIG.1
DS-AS-E-090	150.2	50.9	76.4*76.4	M12X1.75	2"	SCREW THREAD FLANGE	
DS-AS-E-091	153.2	50.9	76.4*76.4	M12 x 1.75	3"	SCREW THREAD FLANGE	
DS-AS-E-107	109		69.8*42		2"	U-BOLT FACE	




FIG. 1




FIG. 2

FLANGE YOKE

IJE NO.	O.E.NO.	FLANGE DIA.	BOLT CIRCLE DIA.	DIAMETER	NUMBER OF HOLES	PILOT DIA. M=MALE F=FEMALE	FLANGE FACE TO C / L	TYPE	REMARK
		A	B-BOLT HOLES			C	G		
1000 SERIES		USE KIT NO. 5-170X (D:23.82 E:38.1)							
DS-FY-I0031	10-2-29	85.73	69.85	8.2	4	57.15	39.62	2	
1100 SERIES		USE KIT NO. GU-500, 5-101X, 5-111X (D:23.82 E:61.3)							
DS-FY-O0036-1	GB-039		69.85	8.5	4	57M	31.5	1	37112-BN200
1300 SERIES		USE KIT NO.GU-1100 (D:26.99 E:74.6)							
DS-FY-O0021	161019	95	78.1	10.2	4	57M	35.5	1	
DS-FY-O0040	GB-239	96.8	79.38	10.2	4	60.3M	35.5	1	
DS-FY-O0029	161040		89.23	10.3	4	56M	40.5	2	
DS-FY-O0055	161126		104.65	10	4	45M	45	2	
DS-FY-I0014	161126 BF		X	X	X	45M	45	2	BLANK FLANGE
1310 SERIES		USE KIT NO. GU-1000, 5-153X, 5-785X, 5-810X, 5-1200X (D:26.97 E:81.76)							
DS-FY-O0018	2-2-329	96.9	79.37	10	4	60M	36	1	
DS-FY-O0026	04.329 BF	96.9	X	X	X	60M	36	1	BLANK FLANGE
DS-FY-O0027	2-2-1339	100	84	8.4	6	57F	53.2	1	
DS-FY-O0028	2-2-1339 BF	100	X	X	X	57F	53.2	1	BLANK FLANGE
	2-2-1679	105.41	84.93	10.3	4	46.82M	44.95	2	
	2-2-479	117.48	95.25	11.1	4	69.85M	34.925	2	
	2-2-1949	119.86	95.25	12.2	4	64.97M	45.23	2	TOYOTA DMAX 4X4 LSD
1330 SERIES		USE KIT NO. 5-213X, 5-790X, 5-812X, 5-1203X (D:26.97 E:92.07)							
	2-2-1879	125.9	100	12.4	4	54.8F	49	1	
	2-2-489	117.47	95.25	11.1	4	57.15M	39.67	2	
	2-2-1369	133.35	107.95	12.7	4	50.8F	42.87	2	
	2-2-1659	133.35	93.37	11.5	4	46M	41.9	2	TOYOTA 4.5
1350 SERIES		USE KIT NO. 5-178X, 5-799X (D:30.1 E:92.08)							
	3-2-119	117.47	95.25	11.1	4	69.85M	39.624	2	

DRIVESHAFT COMPONENTS (FOR U.S.A.)

IJE NO.	O.E.NO.	FLANGE DIA.	BOLT CIRCLE DIA.	DIAMETER	NUMBER OF HOLES	PILOT DIA. M=MALE F=FEMALE	FLANGE FACE TO C / L	TYPE	REMARK
		A	B-BOLT HOLES			C	G		
1410 SERIES		USE KIT NO. 5-160X, 5-801X, GU-2000 (D:30.18 E:106.38)							
	3-2-1329	107.54	95.25	12.3	4	69.85M	42.87	2	
	3-2-559	149.23	120.65	12.7	4	95.25M	38.1	2	
DS-FY-O0012	3-2-159		95.25	11.3	4	69.8M	43.5	2	
1550 SERIES		USE KIT NO.5-155X, 5-808X, 5-809X (D:34.93 E:126.08)							
	4-2-669	146.65	120.63	13	4	95.25M	50.8	1	
1710 SERIES		USE KIT NO. 5-213X, 5-790X, 5-812X, 5-1203X (D:26.97 E:92.07)							
	6-2-749	203.2	184.15	9.5	8	196.85M	76.2	1	BEARING PLATE STYLE
1810 SERIES		USE KIT NO. 5-178X, 5-799X (D:30.1 E:92.08)							
DS-FY-B0004	6.5-2-329	203.2	184.1	11.3	12	196.5M	85.8	1	BEARING PLATE STYLE
OTHERS		USE KIT NO.5-281X (D:49.23 E:191.69)							
DS-FY-I0004	1202-39 (37315-05720 37315-05732)		76.1	8.2	4	57M	36.25	2	GUN-27(25X44) Inside snap ring
DS-FY-O0057	2-2-1289					46M	34.925	2	GU-1100 (26.99X84.75)




FIG. 1





FIG. 2



SLIP YOKE


IJE NO.	O.E.NO.	C/LINE TO END OF SPLINE	C/LINE TO FACE OF PLUG	GROUND HUB DIA	SPLINE NO.	SPLINE MAJOR/ MINOR DIA.	FIG.	REMARK
		J	F	R		D2 / D3		
GEARBOX YOKES								
1100 SERIES		USE KIT NO. GU-500, 5-101X, 5-111X (D:23.82 E:61.3)						
DS-SY-00019	150055	118.11	21.4	29.9	18	20.5 x 18	2	
DS-SY-00004	150074	118.11	26.5	34.9	18	25.26 x 23.06	2	
DS-SY-00034	150072	132.9	27.2	32	20	22.82 x 20.74	2	
DS-SY-00011	150047/150078	140.5	26.6	38	21	28 x 25.6	2	
DS-SY-00029	150091	143.69	27.78	34.9	18-1	24.2 x 22	2	
DS-SY-00050	150030	143.7	20.6	30.1	16	22.3 x 19	2	
DS-SY-00059	150089	148	27.5	38.1	27-1	30 x 28.1	2	8-94248-571
DS-SY-00010	150090	149	27.5	34.9	10	25.5 x 21.5	2	
DS-SY-00045	150112-2	150.1	28.1	36	24-1	27.5 x 24.4	2	
DS-SY-00035	150092	119.6	26.2	32	22-2	25.05 x 22.55	2	
1300 SERIES		USE KIT NO.GU-1100 (D:26.99 E:74.6)						
DS-SY-00022	150033	134.4	27.2	34.9	25-2	28.15 x 24.9	2	
DS-SY-00009	150040	155.7	35.2	34.9	24-2	25.6 x 23	2	
DS-SY-00052	150013	144.8	27.8	38	28	30 x 27.8	2	
DS-SY-00025	150047	145	28	38	21	28 x 25.6	2	
DS-SY-00023	150103	155.7	32.2	38.16	27-1	30 x 28	2	
DS-SY-00036	150104	155.7	35	34.9	18-1	24.2 x 22	2	
DS-SY-00042	150116-1	158.8	31.8	38	25	28.3 x 25	2	
1310 SERIES		USE KIT NO. 5-153X, 5-785X, 5-810X (D:26.97 E:81.76)						
DS-SY-06081	2-3-6081	138.91		38.1	27-1	29.87	2	
DS-SY-05981	2-3-5981X	149.86		38.1	28-1	30.99	2	

DRIVESHAFT COMPONENTS (FOR U.S.A.)

IJE NO.	O.E.NO.	C/LINE TO END OF SPLINE	C/LINE TO FACE OF PLUG	GROUND HUB DIA	SPLINE NO.	SPLINE MAJOR/ MINOR DIA.	FIG.	REMARK
		J	F	R		D2 / D3		
GEARBOX YOKES								
1330 SERIES		USE KIT NO. 5-213X, 5-790X, 5-812X (D:26.97 E:92.07)						
DS-SY-O12051	2-3-12051X	171.7		38.15	27-1	29.87	2	
DS-SY-O5981	2-3-5981X	149.86		38.1	28-1	30.99	2	
1350 SERIES		USE KIT NO. 5-178X, 5-799X (D:30.1 E:92.08)						
	3-3-6361	176.28		47.9	32-1	34.93	2	
DS-SY-02431	3-3-2431X	139.7		47.88	32-1	35	2	
OTHERS								
DS-SY-I0029	GUMZ-6	154.5	40.5	38.15	16-2	30 x 26.8	2	GUMZ-6 ,D:28 x 59
DS-SY-I0002	150047	145	28.9	38	21	28 x 25.6	2	GUMZ-6 ,D:28 x 59
DS-SY-I0025-1	150116	137.7	35.2	35	25-2	28.15 x 24.9	2	GUMZ-6, D:28 x 59(CASTING)
DS-SY-I0025	150033/150116	137.7	34.2	38	25-2	28.3 x 25	2	GUMZ-6 ,D:28 x 59 (FORGING)
DS-SY-I0016	150047	142	27.38	38	21	28 x 25.6	2	GUN-27,D:25 x 44
DS-SY-I0024	150055	118.11	21.4	29.9	18	20.5 x 18	2	GUN-27,D:25 x 44
DS-SY-I0027	150074	148.5	26.6	34.9	24-2	25.26 x 23.06	2	GUN-27,D:25 x 44
DS-SY-I0028	150112-1	150.1	28.1	36	24-1	27.5 x 24.4	2	GUN-27,D:25 x 44
DS-SY-I0022	150047	145	33.5	38	21	28 x 25.6	2	GUT-12,D26 x 53.6
SLIP ASSEMBLIES								
1100 SERIES		USE KIT NO. GU-500 (D:23.82 E:61.3)						
DS-SY-O0033	GB-018(1-3-18)	109.25	18.5		16	27 x 23.5	1	
1300 SERIES		USE KIT NO. GU-1100 (D:26.99 E:74.6)						
DS-SY-O0005	GB-068	149	26.5		16	30 x 35	1	
1310 SERIES		USE KIT NO. GU-1000, 5-153X, 5-785X, 5-810X (D:26.97 E:81.76)						
DS-SY-O0061	2-3-4951	152.4	27		16	35.1 x 30.2	1	
DS-SY-O0016	GB-128(2-3-128)	136.5	25.4		16	30 x 55	1	
	2-3-1421	127	25.4		16	31.75	1	
	2-3-10261	171.45	22.23		32-1	34.98	1	
1330 SERIES		USE KIT NO. 5-213X, 5-790X, 5-812X (D:26.97 E:92.07)						
DS-SY-O0030	2-3-7681	168.28	27		16-1	35.1 x 30.2	1	
	2-3-4681	152.4	25.4		16	34.93	1	
	2-3-7961	152.4	25.4		16	34.93	1	
1350 SERIES		USE KIT NO. GU-2200, 5-178X, 5-799X (D:30.18 E:92.08)						
DS-SY-O0060	3-3-1501	147.63	30.2		16	35.1 x 30.2	1	
	3-3-1501	147.63	30.18		16	34.93	1	


DRIVESHAFT COMPONENTS (FOR U.S.A.)

IJE NO.	O.E.NO.	C/LINE TO END OF SPLINE	C/LINE TO FACE OF PLUG	GROUND HUB DIA	SPLINE NO.	SPLINE MAJOR/ MINOR DIA.	FIG.	REMARK
		J	F	R		D2 / D3		
GEARBOX YOKES								
1410 SERIES		USE KIT NO. GU-500,T 5-101X, 5-111X (D:23.82 E:61.3)						
DS-SY-O0062	3-3-2041	133.35	28.85		16	33 x 38.12	1	
DS-SY-O0053	3-3-118	165.1	29.1		16	33.12 x 32.9	1	
DS-SY-O0082	3-3-468	99.21	29.36		16	38.12 x 32.9	1	Fit 3-82-1191
	3-3-1481	147.63	29.36		16	34.93	1	
	3-3-788	133.35	29.36		16	34.93	1	
	3-3-118	165.1	29.36		16	38.1	1	
	3-3-2041	133.35	39.36		16	38.1	1	
	3-3-508	198.42	34.14		16	38.1	1	
	3-3-6341	185.67	29.46		22-1	37.1	1	
	3-3-5481	198.42	34.14		16	38.1	1	
1480 SERIES		USE KIT GU-2300, 5-188X, 5-803X, 5-804X(D:34.93 E:106.38)						
DS-SY-O0063	3-3-1601	168.28	27.28		16	39.7 x 34.5	1	
	3-3-6061	172.97	33.32		24-1	39.73	1	
1550 SERIES		USE KIT 5-155X, 5-808X OR 5-809X(D:34.93 E:126.09)						
	4-3-1241	174.63	34.93		16	44.45	1	
1610 SERIES		USE KIT 5-279X, 5-674X(D:47.63 E:134.93)						
DS-SY-B0004	5-3-108	198.42	36.58		16	50.8	1	BEARING PLATE STYLE
	5-3-2261	274.62	80.98		16	50.8	1	BEARING PLATE STYLE
1710 SERIES		USE KIT GU-5000 (D:49.2 E:154.75)						
DS-SY-B0016	6-3-2671	243.68	43.66		16		1	BEARING PLATE STYLE
DS-SY-B0007	6-3-2651	296.87	21.83		16		1	BEARING PLATE STYLE
1810 SERIES		USE KIT 5-281X, 5-676X (D:49.23 E:191.69)						
DS-SY-B0010	6.5-3-1371	260.35	60.33		16	76.2	1	BEARING PLATE STYLE
SPL90		USE KIT SPL90X(D:41.28 E:125.90)						
	90-3-21	256.54	45.64		30	49.25	1	
OTHERS								
DS-SY-O0056-1	06.538	173.25	45.3		16	38.1 x 44.5	1	GU-3500 D:39.69X115.95



Outside(OSR)

FIG. 1



Bearing Plate Style


FIG. 2

TUBE YOKE

IJE NUMBER	O.E.NO.	C/L TO POINT OF WELD	BUTT DIA.	TYPE	REMARK
		H	F		
1100 SERIES		USE KIT NO. GU-500, 5-101X, 5-111X (D:23.82 E:61.3)			
DS-TY-O0049	02.137 (GB-137)	49	66.9	1	21
DS-TY-O0053	02.717 (GB-717)	48.3	76.2	1	18
DS-TY-O0024	02.067 (GB-067)	38.1	60.4	1	24-2
DS-TY-O0031	02.017 (GB-017)	49.1	48	1	24-1
1300 SERIES		USE KIT NO.GU-1100 (D:26.99 E:74.6)			
DS-TY-00025	03.2607 (GB-2607)	64.3	46.03	1	16
DS-TY-O0003	03.1557 (GB-1557)	62	66.5	1	16
DS-TY-00019	03.1517 (GB-1517)	62	60.5	1	16
DS-TY-00026	03.1567 (GB-1567)	61.1	73.02	1	16
1310 SERIES		USE KIT GU-1000, 5-153X, 5-1310X, 5-1310-1X (D:26.97 E:81.76)			
DS-TY-O0016	04-1417 (GB-1417)	43.6	46.2	1	
DS-TY-O0018	2-28-367	46.9	59.3	1	
DS-TY-O0034	2-28-1617	42.87	65.63	1	
DS-TY-O0075	2-28-477	42.96	97.63	1	
	2-28-417	42.88	47.78	1	
	2-28-357	42.88	46.86	1	
	2-28-577	42.88	46.25	1	
	2-28-277	46.84	60.47	1	
	2-28-367	46.84	59.56	1	
	2-28-327	42.88	73.1	1	
	2-28-437	42.88	72.26	1	
DS-TY-0397	2-28-397	42.88	85.88	1	


DRIVESHAFT COMPONENTS (FOR U.S.A.)

IJE NUMBER	O.E.NO.	C/L TO POINT OF WELD	BUTT DIA.	TYPE	REMARK
		H	F		
1330 SERIES		USE KIT 5-213X, 5-1330X, 5-1330-1X (D:26.97 E:92.07)			
DS-TY-O0073	2-28-3637	42.96	97.63	1	
DS-TY-O0059	2-28-1697	43.66	72.24	1	
	2-28-1177	46.66	73.18	1	
1350 SERIES		USE KIT 5-178X, 5-1350X, 5-1310-1X (D:30.1 E:92.08)			
DS-TY-O0074	3-28-417	42.96	97.63	1	
DS-TY-O0060	3-28-57	50.8	72.24	1	
	3-28-157	50.8	98.43	1	
1410 SERIES		USE KIT 5-178X, 5-1350X, 5-1310-1X (D:30.1 E:92.08)			
DS-TY-O0054	3-28-97	53.975	72.25	1	
	3-28-267	56.26	71.65	1	
	3-28-367	56.26	85.88	1	
	3-28-557	56.26	84.96	1	
1480 SERIES		USE KIT GU-2300, 5-188X, 5-803X, 5-804X (D:34.93 E:106.38)			
DS-TY-O0062	3-28-537	51.59	89.94	1	
	3-28-567	51.59	84.35	1	
1550 SERIES		USE KIT 5-155X, 5-808X OR 5-809X (D:34.93 E:126.09)			
DS-TY-O0050	4-28-307	57.58	84.13	1	
	4-28-487	55.58	82.37	1	
1610 SERIES		USE KIT 5-279X, 5-674X (D:47.63 E:134.93)			
DS-TY-B0008	5-28-627	76.2	82.3	2	BEARING PLATE STYLE
	5-28-327	76.2	95.07	2	BEARING PLATE STYLE
1710 SERIES		USE KIT 5-280X, 5-675X (D:49.2 E:154.78)			
	6-28-347	76	95	2	BEARING PLATE STYLE
1810 SERIES		USE KIT 5-281X, 5-676X (D:49.23 E:191.69)			
	6.5-28-117	86	107.54	2	BEARING PLATE STYLE
SPL90		USE KIT NO. SPL100-1X (D:41.28 E:125.9)			
	90-28-27	75.41	95.07	1	



BS / CV / HR / UB Style

FIG. 1



SR Style

FIG. 2

END YOKE

IJE NUMBER	O.E.NO.	GROUND HUB DIA.	FLANGE FACE TO END OF HUB	LENGTH THROUGH HOLE	SPLINE MAJOR/MINOR DIA.	SPLINE NO	TYPE	APPLICATIONS/DES.
		R	S	Q	D2 / D3			
6C END YOKE			USE KIT SIZE D:42.9 E:114.3)					
DS-ED-B0004	6C-16T	66.7	92	57.2	45 x 40.5	16	WING TYPE	
DS-ED-B0001	IJ-CP-6C.	54	701.7	48	41.9 x 38	16	WING TYPE	
7C END YOKE			USE KIT SIZE D:42.9 E:117.48)					
DS-TY-UB0002		60	94	55	44/38	16	WING TYPE	
1310 SERIES			USE KIT 5-153X, 5-1310X(D:26.97 E:81.76)					
	2-4-6541-1	47.63	74.63	38.1	32.41	29	1	
	2-4-2271	39.42	76.2	38.1	29.1	26	1	
1350 SERIES			USE KIT 5-213X, 5-1330X, 5-1330-1X (D:26.97 E:92.07)					
DS-EY-UB0001	2-4-5311	47.6	75.7	38.1	32.25 x 30.1	29	1	
	2-4-3571-1	39.42	76.2	38.1	29.11	26	1	
1330 SERIES			USE KIT 5-178X, 5-1350X, 5-1310-1X (D:30.1 E:92.08)					
DS-EY-UB0002	3-4-5731	47.63	76.2	39	32.4 x 30.4	29	1	
1480 SERIES			USE KIT 5-188X, SPL55X (D:34.93 E:106.38)					
	3-4-11171-1	63.5	109.93	50.8	40.87	37	1	
	3-4-3091-1	49.23	102.38	50.8	38.1	10	1	
DS-ED-B11281	3-4-11281-1	63.6	110.5	51	40.6	38.6	BS	
1610 SERIES			USE KIT 5-279X, 5-674X (D:47.63 E:134.93)					
	5-4-7171-1	55.58	104.78	57.15	45.47	34	1	
1710 SERIES			USE KIT 5-280X, 5-675X (D:49.2 E:154.78)					
	6-4-6871	69.85	165.1	61.93	51.41	39	1	
	6-4-6951	69.85	133.35	61.93	51.41	39	2	BP STYLE
	6-4-4481	69.85	165.1	66.68	49.78	10	2	BP STYLE
	6-4-6921	95.25	142.88	76.2	63.5	10	1	
	6-4-7141-1	71.37	127	76.2	50.75	38	1	
OTHERS			USE KIT SIZE D:26.99 E:77.6					
DS-ED-O0003	GU110028BRG	37	81	45	28.2 x 26.5	27	2	SR STYLE



DRIVESHAFT COMPONENTS (FOR U.S.A.)




FIG. 1




FIG. 2





FIG. 3




TUBE SHAFT

IJE NO.	O.E.NO.		END OF SPLINE TO WELD	LENGTH OF SPLINE	SPLINE MAJOR/ MINOR DIA.	SPLINE NO.	TYPE
		D1	K	L	D2 / D3		
1100 SERIES							
DS-SS-0018	02.1901 (GB-1901)	47.8	107.5	57.15	26.8 x 23.5	16	1
1310 SEREIS							
DS-SS-0073	2-53-1131	72.3	223.5	60	34.4 x 28	16	2
DS-SS-0046	2-40-1031	46.3	132	58.5	34.3 x 28	16	1
DS-SS-0035	2-53-711	72.24	229.39	63.5	34.3 x 28	16	2
DS-SS-0041	2-40-1031	50.8	131.8	57.15	34.8 x 28	16	1
	3-40-1421	76.2	188.1	76.2	38.1	16	
1350 SERIES							
DS-SS-0001	2-40-1711	60	156	52	35.1 x 30.2	16	1
DS-SS-0062	3-53-1361	88.9	205.59	126.2	34.925 x 30	16	3
DS-SS-0056	3-53-1371	72	177.2	112.7	34.62 x 30.12	16	3
	2-40-1221	72.9	163.53	57.15	34.93	16	1
	2-40-1521	72	163.53	57.15	34.93	16	1
1410 SERIES							
DS-SS-0005	3-40-1901	72.25	163	63	37.15 x 30	16	1
(1310-1410 SERIES)	2-53-501	72	203.2	137.31	34.93	16	3
(1310-1410 SERIES)	3-53-1361	72	205.59	126.21	34.93	16	3
(1310-1410 SERIES)	3-53-1371	72	178.59	112.73	34.93	16	3
1480 SERIES							
DS-SS-0033	3-53-451	84.9	216.8	150.83	39.7 x 34.2	16	3
DS-SS-0033-1	3-53-451 (Teflon coating)	84.9	216.8	90	39.7 x 34.2	16	3
	3-40-1571	84.7	171.45	76.2	39.637	16	1
1550 SEREIS							
DS-SS-0051	4-53-61	84.45	217.5	150.8	44.45 x 38.1	16	3
	4-40-761	84.1	172.24	76.2	44.45	16	1
1600 SEREIS							
DS-SS-0028	5-40-1191	84.4	194.6	85	50 x 40	16	1

DRIVESHAFT COMPONENTS (FOR U.S.A.)

IJE NO.	O.E.NO.		END OF SPLINE TO WELD	LENGTH OF SPLINE	SPLINE MAJOR/ MINOR DIA.	SPLINE NO.	TYPE
		D1	K	L	D2 / D3		
1710 SEREIS							
DS-SS-0006	6-40-521	95	233	95.6	62.6 x 53.075	16	1
DS-SS-0007	6-40-541	95	233	101.6	63.5 x 53.97	16	1
DS-SS-0081	3-53-1031	72.24	179.38	112.73	38.12 x 33	16	3
	6-40-541	94.8	234.95	101.6	63.5	16	1
	6-40-521	94.8	268.27	101.6	63.5	16	1
	6-40-621	107.5	270.66	101.6	63.5	16	1
(1610-1710 SERIES)	5-40-1051	94.8	250.04	88.9	50.8	16	1
(1610-1710 SERIES)	5-40-1051	94.8	250.04	88.9	50.8	16	1
1810 SEREIS							
DS-SS-0008	6-5-40-191	107.5	285.75	114.3	74.8X65.8	16	1
1880 SEREIS							
	8-40-101	101.14	292.89	114.3	76.2	16	1
SPL 100							
	90-40-11	94.8	256.39	101.6	49.1	30	1
OTHERS							
	90-40-11		256.39	101.6	49.1	30	1




YOKE SHAFT

IJE NO.	O.E.NO.	SPLINE LENGTH	END OF SPLINE TO POINT OF RADIUS	C/L TO END OF SPLINE	SPLINE MAJOR/ MINOR DIA.	SPLINE NO.	REMARK
		L	R	K	D2/D3		
1310 SEREIS			USE KIT NO. 5-153X, 5-785X, 5-200X (D:26.97 E:81.76)				
DS-YS-0005	2-82-21	57.15	54.55	97.64	34.92 x 30	16	Fit 2-3-128 SLIP YOKE



DRIVESHAFT COMPONENTS (FOR JAPAN)



FLANGE YOKE


IJE NO.	O.E.NO.	S=SQUARE R=ROUND	PILOT DIA. M=MALE F=FEMALE	C/L OF U-JOINT TO FACE				U- JOINT	NO. OF HOLES/ DIAMETER	PCD	HOLE PATTERN	TYPE	APP. / DES.
			B	H	M1	M	N						
MITSUBISHI													
DS-FY-O0061	MT-202675	S	60	41		66.8	25	GUM-81	4/φ10.5	79.77	61 x 51.4	1A	T-120
DS-FY-O0077	3401A228F	S	45	42.5		66.8	25	GUM-81	4/φ10.4	79.36	60.8 x 51	1A	
DS-FY-O0006	MB-154292	S	45	44		66.8	25	GUMZ-1	4/φ10.5	79.13	60.5 x 51	1A	L-300, DLX / FUTURA
DS-FY-O0060	MB-000349	S	45	44		66.8	25	GUMZ-1	4/φ8.2	79.13	60.5 x 51	1A	L-300
DS-FY-O0034	MB-154486	S	45	44		79.5	25	GUM-88	4/φ10.6	79.13	60.5 x 51	1A	L-038
DS-FY-O0062	MT-321417	S	60	36.4		80.9	28.5	GUM-86	4/φ10.4	79.77	61 x 51.4	1A	T-120
DS-FY-O0022	MB-000059	S	60	44.5		80.6	30	GUM-87	4/φ10.3	90.06	68.9 x 58	1A	
DS-FY-I0002	MB-000238	S	60	45.5		58.1	30	GUM-93	4/φ10.2	90.06	68.9 x 58	3A	4D31
DS-FY-I0030	MR-389336F	S	45	55		58.1	30	GUM-93	4/φ10.5	89.8	63.5 x 63.5	3A	
DS-FY-I0032	MN-168567F	S	45	59.8		74.1	30	GUM-99	4/φ12.3	104.65	74 x 74	3A	L-200 TRITON
DS-FY-O0001	MB-293352	S	70	46		105	31.78	GUM-75	4/φ12.5	100.06	76.5 x 64.5	1A	FE119 / PS120, 4D34
DS-FY-B0001	MC-805606	S	90	71		129	44	IJM-71	4/φ13	132.85	110 x 74.5	10A	FUSO-71/FM215
DS-FY-O0007	MC-830811	S	90	71		134.75	44	IJM-71N	4/φ13	132.85	110 x 74.5	1A	FUSO-71N/FM517
NISSAN													
DS-FY-I0006	4*4	S	65	43.5		56	28	GUN-29	4/φ12.3	94.75	67X67	3A	4*4
DS-FY-B0008	37117-90015	S	90F	68		136	43	GUN-41	4/φ16.5	140.08	116X80	9A	

DRIVESHAFT COMPONENTS (FOR JAPAN)

IJE NO.	O.E.NO.	S=SQUARE R=ROUND	PILOT DIA. M=MALE F=FEMALE	C/L OF U-JOINT TO FACE				U- JOINT	NO. OF HOLES/ DIAMETER	PCD	HOLE PATTERN	TYPE	APP. / DES.
			B	H	M1	M	N						
ISUZU													
DS-FY-O0009	5-37211-011	R	54	30		64.3	23.82	GU-500	4/φ8.3	72	55.1 x 46.35	4B	KBD-26/25
DS-FY-I0001	5-37211-007 (C240 F)	S	65	46		53	29	GUIS-52	4/φ10.2	84.93	68.65 x 50	3A	KAD51 / 4JA1/ C240
DS-FY-O0008	8-97225-254	S	79.95	55		96	33	GUIS-66	4/φ12.3	100.06	81 x 58.75	1A	NPR (F)
DAIHATSU													
DS-FY-O0056	37315-87505	S	50	35		57	20.02	GUD-81	4/φ8.3	74.03	58 x 46	1A	
DS-FY-I0017	37315-87510	S	50	43		37.6	22.5	GUD-88	4/φ10.5	80.61	57 x 57	3A	S88/S89
DS-FY-I0024	37315-87509	S	50	43		37.9	22.5		4/φ10.4	74.03	58 x 46	3A	S75
DS-FY-O0003	37315-87606	S	50	55		83	28	GUD-84	4/φ10.6	91.9	65 x 65	1A	F-70
DS-FY-O0050	37315-87308	S	50	55		83	28	GUD-84	4/φ10.6	88.62	67 x 58	1A	F-50/V22H
DS-FY-I0005-2	37315-87539	S	50	43		37.6	22.5		4/φ10.5	80.61	57 x 57	3A	
DS-FY-I0027	37315-87304	S	50	54		58.1	30	GUM-93	4/φ10.5	88.62	67 x 58	3A	
TOYOTA													
DS-FY-I0016	37315-20020	S	46	40		46.8	26	GUT-13	4/φ8.2	77.56	54.85 x 54.85	3A	KF-20
DS-FY-O0049	37315-35040- GU1100	S	46	45		77.6	26.99	GU-1100	4/φ10.2	84.85	60 x 60	1A	
DS-FY-I0008	37315-30011	S	46	38 (64*57)		52	29	IJT-21	4/φ8.5	85.31	64.1 x 56.5	3A	HILUX
DS-FY-I0025	37315-0K010	S	46	45		52	29	GUT-21	4/φ10.5	93.34	66 x 66	3A	BOLT:66*66
DS-FY-I0012	37315-35040	S	46	45		52	29	GUT-21	4/φ10.4	84.85	60 x 60	3A	
DS-FY-I0033	37315-BZ020	S	50	46		53	29	GUIS-52	4/φ11.3	84.85	60 x 60	3A	
DS-FY-I0007	37315-36010	S	46	41		64	32	GUT-20	4/φ11.3	90.69	68 x 60	3A	NST-104-5
DS-FY-I0009	37315-36020	S	45.9	41		64	32	GUT-20	4/φ11.5	93.34	66 x 66	3A	
DS-FY-O0017	67310-30341-71	R	69.85	43.5	105	96	33	GUIS-66	4/φ10.5	95.25	67.3 x 67.3	5B	
DS-FY-O0075	37315- 37020/37021	S		42			35	GUT-28					DYNA/RINO XZU342
DS-FY-O0076	37315-37030	S	80	55		102	35	GUT-28	4/φ12.3	100.09	81 x 58.8	1A	RINO XZU342
DS-FY-B0010	37315-55030												
SUZUKI													
DS-FY-I0028	27130-77201	S	42	37		64.5	20.07	IJS-6	4/φ8.4	73.54	52 x 52	8A	ST-20
DS-FY-I0010	27131-79500	S	42	43		62.8	20.07	IJS-6	4/φ8.6	79.34	52 x 52	8A	ST-20
DS-FY-I0026	27131-73002	S	42	40		43	25	IJS-1	4/φ8.2	73.53	52 x 52	3A	
DS-FY-O0016	27131-83001	S	45	40.5		66.8	25	GUS-7	4/φ8.4	79.2	56 x 56	3A	T-5
DS-FY-I0011	27131-77200	S	42	40.5		43	25	GUS-1	4/φ8.2	73.54	52 x 52	3A	ST-100
DS-FY-I0018	27130-73002	S	45	40.5		42.8	25	GUS-1	4/φ8.7	79.2	56 x 56	3A	
DS-FY-O0033	27131-775MO	S	45	43.5		66.8	25	GUS-7	4/φ10.5	79.13	60.5 x 51	1A	FUTURA




DRIVESHAFT COMPONENTS (FOR JAPAN)



IJE NO.	O.E.NO.	S=SQUARE R=ROUND	PILOT DIA. M=MALE F=FEMALE	C/L OF U-JOINT TO FACE				U- JOINT	NO. OF HOLES/ DIAMETER	PCD	HOLE PATTERN	TYPE	APP. / DES.
			B	H	M1	M	N						
ISUZU													
DS-FY-I0035	8-87211-858	S	65	46		53	29	GUIS-52	4/φ8.4	84.93	68.65 x 50	3A	
DS-FY-O0032	37315-1470	S	80	56.6	127.4	120.1	40	GUH-60	4/φ12.2	124.96	96 x 80	2A	
DS-FY-O0019	37120-1220-F	S	80	65.6	137.5	131.1	44	GUH-77	4/φ12.1	125.15	95.9 x 80.4	2A	
DS-FY-B0005	8931-F	S	95	96	144		47	GUH-71	4/φ14	150.08	123 x 86	10A	
DS-FY-B0006	37315-1041 / 6962-F	S	70F	96	144		47	GUH-72	4/φ14	150.08	123 x 86	9A	
DS-FY-B0007	6860-F	S	119.9	80.5	165		50	GUH-73	4/φ16	190.61	139.4 x 130	10A	37120-6860
BMW													
DS-FY-O0002	02.BMW	S	47	29		64.3	23.82	GU-500	4/φ10.2	84	59.4 x 59.4	1A	
MAZDA													
DS-FY-I0019	MAZDA 9	S		40			26.5	GUMZ-9					S027-11-1969
FORD													
DS-FY-O0043	SA53-F	S	45	45.2	88.3	84.75	26.99	GU-1000	4/φ10.1	104.65	74 x 74	2A	SA53-25-100B
OTHERS													
DS-FY-O0010	0153	S	60.325	41.2	88.2	84.75	26.99		4/φ9.829	79.36	60.75 x 51	2A	NEAPCO
DS-FY-O0040-1	L-300	S	45	35.5		67.4	28	GUMZ-6	4/φ10.3	79.15	60.5 x 51	1A	

DRIVESHAFT COMPONENTS (FOR JAPAN)




TUBE YOKE

IJE NO.	O.E.NO.				U-JOINT	C/L TO POINT OF WELD	C/L OF U-JOINT TO END FACE	BUTT DIA.		TYPE	APP. / DES.
		M	M1	D1		L	L1	F	K		
TOYOTA											
DS-TY-00056	37311-87308	83		28	GUD-84	59	46.5	60		1	
DS-TY-I0002	37311-36010	64		32	GUT-20	64.5	46.5	62		2	NST-101-W
DS-TY-B0003	37311-55020	78	118	39.98	GUT-16	89	70.25	83.4	35	6	
DS-TY-I0012	37311-35021	52		29	GUT-21	65	53.5	62		2	
DS-TY-I0023	BZ020.TY	53		29	GUIS-52	65	53.5	62		2	
DS-TY-I0007	37311-87304	58.1		30	GUM-93	64	50	69		2	
NISSAN											
DS-TY-B0004	37114-93302										
DS-TY-B0005	37114-91303	135.9		43	GUN-41	102	103.5	82		7	BOLT DIA: M8 x 1.25
DS-TY-B0005-1	37114-31303			43	GUN-41		103.5				BOLT DIA:M10 x 1.25
DS-TY-O0044		56.1		28	GUN-29	59.8		45.8		2	NISSAN 4 x 4
DAIHATSU											
DS-TY-I0004	37310-87510	37.6		22.5	IJD-88	45.8	38.5	54		2	S-89
MITSUBISHI											
DS-TY-O0064	L-038	79.5		25	GUM-88	53.5	43.5	73		1	
DS-TY-I0005-3	MB-000225	58.1		30	IJM-93	50	40	59.5		2	
DS-TY-I0022	MN-168567.TY	74.1		30	GUM-99	74.5	55	71		2	
DS-TY-O0014	4D34	105		31.78	GUM-75	54	44	59.5		1	FE119

DRIVESHAFT COMPONENTS (FOR JAPAN)

IJE NO.	O.E.NO.				U-JOINT	C/L TO POINT OF WELD	C/L OF U-JOINT TO END FACE	BUTT DIA.		TYPE	APP. / DES.
		M	M1	D1		L	L1	F	K		
SUZUKI											
DS-TY-00011	MB-000770-B	66.2		25	GUMS-7	45	38	60		1	FUTURA T-5
DS-TY-I0008	ST-20-A	64		20.06	GUS-6	41.2	34.5	46.3		3	
DS-TY-00030	T-5	66.8		25	GUS-7	50.9	38	46.3		1	SUZUKI T-5
ISUZU											
DS-TY-00007	8-94238-786			23.82			41				
DS-TY-00015	8-94238-780	64.9		23.82	GU-500	51	42	60		1	KBD-26
DS-TY-00010	ST-100	42.8		25	GUS-1	52	42.5	46.3		4	ISUZU
DS-TY-I0003	C-240 (TY)	53		29	IJIS-52	56.5	41.5	57		2	C-240
DS-TY-B0009	IS-53mm	155		53.5	GUIS-49	105	144	106.8		8	
MAZDA											
DS-TY-I0006	MAZDA 9, TY	50.4		26.5	GUMZ-9	48.2	38.2	71		2	MAZDA 9/ E2000/88 (S027-11-1969)
HINO											
DS-TY-B0006	6860.TY	165		50	GUH-73	84.5	119.5	107.6		7	
OTHERS											
DS-TY-I0010	20040	46.8		26	GUT-13	55.5	45	60		2	
NEAPCO											
DS-TY-I0021	N729-28-477	66.66	90.42	28.57		50.1	61.65	97.63		4	NEAPCO N7290 series
DS-TY-I0020	N3R-28-477	65.03	90.42	28.57		50.1	61.65	97.63		4	NEAPCO N3R series, 1995-2002 gm all size truck
DS-TY-00020	SA53	60.2		26.99	GU-1000	59.5	46.9	59.5		1	
DS-TY-00028	V-22	83		28	GUD-84	59.5	46.5	60		1	
DS-TY-00055	2057	59.4		20	GUT-11	89.4	78.4	32.9		1	

DRIVESHAFT COMPONENTS (FOR JAPAN)



COMPANION FLANGE

IJE NO.	O.E.NO.	PILOT DIA. F-FEMALE M-MALE	BOLT CIRCLE DIA.	BOLT HOLE		LENGTH THRU HOLE	HUB O.D	FLANGE FACE TO END OF HUB	SPLINE NO.	HOLE PATTERN	TYPE	APP. / DES.
		C	B	DIA. D-DRILLED T-TAPPED	NO. OF HOLES	F	A	L1		G1 / G2		
ISUZU												
DS-EY-PI0002	8-97036-121-1	65F	91.36	D	4	59	40	78	17	50X68.7	1D	
DS-EY-PI0029	M8620	60F	79.8	D	4	39.5	48	56.6	14	51.3 x 61	3A	
DS-EY-PI0035	8-94477-050-3	65F	84.81	D	4	41.5	48	56.5	17	50 x 68.5	1D	NHR
DS-EY-PI0038	8-94477-723-3	80.05F	99.87	D	4	54.5	58	80	18	58.7 x 80.8	1D	
MITSUBISHI												
DS-EY-PI0049	MB-290726	45M	79	D	4	37.5	45	52.5	25	50.8 x 60.5	3A	L-300
DS-EY-PI0020	MT-202638	60M	79.66	D	4	34	45	54	25-2	51.3 x 60.9	3D	T-120
DS-EY-PI0025	MB-000049	60M	90.14	D	4	43.2	45	60.2	14	58 x 69	3D	
DS-EY-PI0051	ME-600714	60F	90.14	D	4	61.2	48	80	18	58 x 69	4C	
DS-EY-PI0023	MB-563207	70.1F	100.07	D	4	47.8	50	60.5	24	64.4 x 76.6	3D	PS120 FE119
DS-EY-PI0004	MB-005229	60F	90.14	D	4	42	52	59.15	14	58 x 69	3D	M-8694
DS-EY-PI0024	MC-115029	70F	100.06	D	4	36	56	71	18	64.5 x 76.5	3A	
DS-EY-PI0012	ME-640816 (MC-636651)	89.9M	132.72	D	4	78.5	58	91.2	22	75 x 109.5	4D	
DS-EY-PI0059	MC-806785											


DRIVESHAFT COMPONENTS (FOR JAPAN)

IJE NO.	O.E.NO.	PILOT DIA. F-FEMALE M-MALE	BOLT CIRCLE DIA.	BOLT HOLE		LENGTH THRU HOLE	HUB O.D	FLANGE FACE TO END OF HUB	SPLINE NO.	HOLE PATTERN	TYPE	APP. / DES.
		C	B	DIA. D-DRILLED T-TAPPED	NO. OF HOLES	F	A	L1		G1 / G2		
NISSAN												
DS-EY-PI0009	38120-90466	90M	140.91	D	4	67	60.2	92	24	80 x 116	4C	
DS-EY-PI0008	38120-90965	90M	140.91	D	4	56	80	88.5	16	80 x 116	4C	DIESEL
DS-EY-PI0044	38210-90604											
DS-EY-PI0045	38210-90603											
DS-EY-PI0042	38210-90665											
DAIHATSU												
DS-EY-PI0030	41204-60010	46F	90.96	D	4	42.4	38.1	57.1	27	66 x 66	3A	
DS-EY-PI0031	41402-60010	46F		D	8	42.4	38.1	57.4	27	60 x 66 x 68	3B	8 HOLES
DS-EY-PI0022	43401-87604	86M		D	4	85.8	39.9	108		50.41 x 61 48 x 80	5E	F - 7 0
DS-EY-PI0015	33324-87603 (33324-87312)	50F	88.62	D	4	28	45	38.5	19	58 x 67	3D	D/H V 5 7
DS-EY-PI0016	33324-87604-000	51F	92.35	D	4	28	45	38.5	19	65.3 x 65.3	3D	F80
DS-EY-PI0021	41204-87606-000	64F	91.92	D	4	35.1	45	50	16	65 x 65	3A	F-70
DS-EY-PI0010	33324-87322	50M	88.59	D	4	58	45	67	19	58 x 67	4D	
DS-EY-PI0011	33324-87355/ 33324-87311	50M	88.62	D	4	56	48	73	22	58 x 67	4D	V 9 9
HINO												
DS-EY-PI0013	37120-6962	70M	79.83	D	4	X	25.5	80	X	86 x 123	4H	
DS-EY-PI0037	37304-3880	80F	124.66	D	4	61	80	84	29	80 x 195.6	3D	
DS-EY-PI0033	33131-1441											NO.5
DS-EY-PI0046	37303-2530	70M	150.08	D	4	52.5	80	67.5	29	123 x 86	9H	
TOYOTA												
DS-EY-PI0050	41204-20030	46F	77.6	D	4	39.5	38	57	23	54.87 x 54.87	3A	Toyota KF-20/2F BU30
DS-EY-PI0017	37304-36030	46F	93.34	D	4	40.5	38.1	57.4	27	66 x 66	3A	2F-BU30
DS-EY-PI0056	43401-60060	39.7F	130	D	8	121.5	45.2	127.5			5F	
DS-EY-PI0061	37304-37030	69.5F	115.12	D	4	55.2	56	76	16-1	84 x 78.5	1C	RINO XZU342
DS-EY-PI0019	41204-36060	46F	93.34	D	4	45	58	66.95	19	66 x 66	3A	2F-BU30
DS-EY-PI0027	37304-2850	101F	206	D	6	80	78.1	106	37		8I	NO.4
DS-EY-PI0026	37304-2530	70M	150	D	4	52.5	80	66.6	29	123 x 86	9D	NO.2
DS-EY-PI0028	37304-2660	120F	95	D	4	64	90	93	37	139 x 129.5	8D	NO.8
DS-EY-PI0032	37304-2390	80M	125.13	D	4	57	60	81.5	27	95.8 x 801.5	9C	NO.9
DS-EY-PI0055	37304-36021	46F	90.66	D	4	40.75	38	56.75	27	68.4 x 59.9	3A	2F-BU30
DS-EY-PI0063	37100-0K030	46F	93.34	D	4	36.3	38	54	23	66 x 66	3A	

DRIVESHAFT COMPONENTS (FOR JAPAN)

IJE NO.	O.E.NO.	PILOT DIA. F-FEMALE M-MALE	BOLT CIRCLE DIA.	BOLT HOLE		LENGTH THRU HOLE	HUB O.D	FLANGE FACE TO END OF HUB	SPLINE NO.	HOLE PATTERN	TYPE	APP. / DES.
		C	B	DIA. D-DRILLED T-TAPPED	NO. OF HOLES	F	A	L1		G1 / G2		
SUZUKI												
DS-EY-PI0034	27110-80401	50F	79.2	D	4	34.5	34.95	46	22	56 x 56	3A	T-5
DS-EY-PI0048	41204-87510	50F	80.61	D	4	31	40	42	23	57 x 57	3D	S-88
DS-EY-PI0018	27110-80001	42F	73.54	D	4	34	58	66.95	19	52 x 52	3A	EXTRA /ST-100
FORD												
DS-EY-PI0052	PI0052	60F	104.65	D	4	40.5	48	64	31	74 x 74	3D	FORD & MAZDA T3000/T3500 4T,W026-27-170
OTHERS												
DS-EY-PI0040	MO53-27-120B	45F	89.1	D	4	40	40	52	28	63 x 63	3A	
DS-EY-PI0060	27111-775MO	45F	79.28	D	4	32.8	42	53.2	25	51 x 60.7	3A	
DS-EY-PI0006	M8687	64.95F	84.81	D	4	41.5	45	73.5	17	50 x 60.7	1D	
DS-EY-PI0064	0078921.CF	46F	84.85	D	4	39.5	38	56.5	23	50 x 68.5	3A	3-7304-35041
DS-EY-PI0065	43421-60022	63F	90	D	6	22	40	25.5	30	78 x 45 x 90	6G	TOYOTA
DS-EY-PI0066	33309-60060	46F	84.85	D	4	39	48	56.5	19	60 x 60	3A	TOYOTA
DS-EY-PI0067	41204-0K030	46F	93.5	D	4	41.5	41	57	29	66 x 66	3A	TOYOTA
DS-EY-PI0068	33309-60041	46F	93.5	D	4	38.8	48	56.3	19	66 x 66	3A	TOYOTA
DS-EY-PI0069	41204-60060	46F	93.5	D	4	39.5	45	57	32	66 x 66	3A	TOYOTA
DS-EY-PI0070	41204-35100	46F	93.5	D	4	42	41	57.6	29	66 x 66	3A	TOYOTA
DS-EY-PI0071	33309-35111	46F	93.5	D	4	38.5	41	54.7	30	66 x 66	3A	TOYOTA
DS-EY-PI0072	33309-35120	46F	93.5	D	4	37	41	53	30	66 x 66	3A	TOYOTA
DS-EY-PI0073	41204-60030	46.5F	93.5	D	4	41.5	38	57	27	66 x 66	3A	TOYOTA
DS-EY-PI0074	43401-60041	112	130	D	8	107.8	45	116.8	x		5F	TOYOTA
DS-EY-PI0075	43401-60080	112	130	D	8	107.8	45	116.8	x		5F	TOYOTA
DS-EY-PI0076	41204-35081	46F	84.85	D	4	42.4	41	57.9	29	60 x 60	3A	TOYOTA
DS-EY-PI0079	41204-35050	46F	84.85	D	4	38.5	38	56.5	23	60 x 60	3A	TOYOTA
DS-EY-PI0080	41204-35040	46F	84.85	D	4	41.7	38	57	27	60 x 60	3A	TOYOTA
DS-EY-PI0083	33309-35040	46F	84.85	D	4	41.6	38	57	27	60 x 60	3A	TOYOTA
DS-EY-PI0084	33309-35100	46F	84.85	D	4	38.4	41	55	30	60 x 60	3A	TOYOTA
DS-EY-PI0085	33309-60070	46F	93.5	D	4	38.8	48	36.3	19	66 x 66	3A	TOYOTA
DS-EY-PI0086	33309-35091	46F	93.5	D	4	36.5	41	53	30	66 x 66	3A	TOYOTA
DS-EY-PI0087	33309-35030	46F	91.35	D	4	42	38	57	27	60 x 68.85	3A	TOYOTA
DS-EY-PI0088	43421-60040	63F	90	D	6	30	40	33.5	30	78 x 45 x 90	6G	TOYOTA


DRIVESHAFT COMPONENTS (FOR JAPAN)



SLIP YOKE

IJE NO.	O.E.NO.	U-JOINT SERIES	U-JOINT			C/LINE TO END OF SPLINE	C/LINE TO FACE OF PLUG	SPLINE NO.	SPLINE MAJOR/ MINOR DIA.	FIG.	APP. / DES.
			D1	M	M1	L1	F		D2/D3		
TOYOTA											
DS-SY-I0006	37302-20040	GUT-13	26	46.8		145.5	31.5	21	28 x 25.6	1	KF-20(C)
DS-SY-I0032	37302-BZ020	GUIS-52	29	53		138.5	43	24-1	25.1 x 23.2	1	(C)
DS-SY-I0021	37302-35021	GUT-21	29	52		185.5	37	20	33.5 x 30.5	1	(F)
DS-SY-I0001	37302-35050	GUT-21	29	52		194	46	20-1/2	33.5 x 30.5	1	(C)
DS-SY-I0033	37302-87304	GUM-93	30	58		200	42	19	35.1 x 31.7	1	(C)
DS-SY-I0003	37302-36010 / 36020	GUT-20	32	64		158	41.5	20	33.5 x 30.5	1	2F-BU30(F)
DS-SY-I0010	37302-60050	GUT-20	32	64/97		187.5	42	20	33.5 x 30.5	3	
DS-SY-O0070	37302-37020	GUT-28	35	102		195	44	18	40 x 36	2	RINO XZU342 (C)
DS-SY-B0012	37302-55030	GUT-16	39.98	78/118		175	22.75	14	47.6 x 42.6	6	6000 (C)
DS-AS-T-068	[SLIDING ASSY] 37302-55030 SY + 37301-55020 SP										
DS-AS-T-070	[SLIDING ASSY] 37301-60010 SY + 37302-36010 SP (RILSON COATED)+DUST COVER 37305-25010										
DS-AS-T-071	[SLIDING ASSY]37302-35021 SY+NS 203 SP (RILSON COATED)+DUST COVER 35201										
NISSAN											
DS-SY-B0005	37112-90063	GUN-41	43	136		211	51	16	54 x 48	5	RD8 (C)
DS-AS-E-047	[SLIDING ASSY]37112-90063 SY +37115-90067 SP										
DAIHATSU											
DS-SY-I0026	37302-87506	GUD-88	22.5	37.6		114.25	30.25	21	22 x 20	1	S-88/S-89
DS-SY-O0049	37302-87307	GUD-84	28	83		194	47.5	16-2	30 x 26.7	2	F-50 (C)
DS-SY-O0057	37302-87606	GUD-84	28	83		241	52	16-2	30 x 26.7	2	F-70 (C)

DRIVESHAFT COMPONENTS (FOR JAPAN)



IJE NO.	O.E.NO.	U-JOINT SERIES	U-JOINT			C/LINE TO END OF SPLINE	C/LINE TO FACE OF PLUG	SPLINE NO.	SPLINE MAJOR/MINOR DIA.	FIG.	APP. / DES.
			D1	M	M1	L1	F		D2/D3		
HINO											
DS-SY-00027	37120-1220	GUH-77	44	131.1		285	19.5	14	48 x 40.8	4	(C)
DS-SY-B0008	37120-6962.SY	GUH-72	47	144		248.5	34.25	16	51.8 x 48	5	(C)
DS-SY-B0015	8931.SY	GUH-72	47	144		291.5	39.75	18	60.1 x 54.3	5	(F)
DS-SY-B0006	37306-1890	GUH-73	50	165		325	49.5	16	60 x 54	5	(C)
DS-SY-B0009	6860.SY	GUH-73	50	165		330	74.5	16	76.2 x 65.9	5	(C)
DS-SY-B0002	8140.SY	GUH-72	47	144		311.5	40.75	18	60.4 x 54.4	5	(F)
MITSUBISHI											
DS-SY-00043	MT-372522	IJM-81	25	66.8		130.2	17.8	21-1	24.4 x 21.55	2	T-120 (C)
DS-SY-00068	MR-111779.SY	IJM-81	25	66.8	74.5	135	31.5	24-1	27.5 x 24.4	4	L-200, (MR-196131) (C)
DS-SY-00044	MB-000771	IJM-88	25	79.5		135	20	40567	27.5 x 24.4	2	L-038 (C)
DS-SY-00047	MB-154291	GUM-81	25	66.8		136	32	24-1	27.5 x 24.4	2	L-300 / DLX (C)
DS-SY-I0007	MR-389336	GUM-93	30	58.1		150	24	26-1	29.38 x 26.46	1	(F)
DS-SY-I0009	MB-000252	GUM-93	30	58.1		176	37	24	39 x 36	1	PS-100/4D34 (C)
DS-SY-00028	MB-000069	GUM-93	30	80.6		176	37	24	39 x 36	2	FE-111 (C)
DS-SY-00048	MB-293010	GUM-75	31.75	105		161	30	24	39 x 36	2	PS120 / FE119, 4D34
DS-SY-00013	MC-830816		44	135		297.5	65.5	16	51.8 x 54	2	FUSO-71N / FM-517 (C)
DS-SY-B0014	MC-816888	GUM-71	44	129		297.5	65.5	16	51.8 x 54	5	FM 215, WITH BOLT(C)
DS-SY-B0018-1	MC-816889	GUM-83	52	153.85		317	70	18	54.3 x 60.4	5	FUSO PS-220 (F)
DS-AS-M-028	[SLIDING ASSY] MB-000252 SY+MB-0001100 SP										
MAZDA											
DS-SY-I0018	B-1600	GUMZ-6	28	59		162.4	33.5	22-2	25.3 x 22.3	1	(F)
DS-SY-I0015	S027-11-1969	GUMZ-9	26.5	50.4		145	26	25-2	28.3 x 25	1	
DS-SY-00064	B-1600-GU1100	GU-1100	26.99	77.6	83	162.4	36	22-2	25.3 x 22.3	4	(F) MAZDA

DRIVESHAFT COMPONENTS (FOR JAPAN)

IJE NO.	O.E.NO.	U-JOINT SERIES	U-JOINT			C/LINE TO END OF SPLINE	C/LINE TO FACE OF PLUG	SPLINE NO.	SPLINE MAJOR/MINOR DIA.	FIG.	APP. / DES.
			D1	M	M1	L1	F		D2/D3		
ISUZU											
DS-SY-00059	8-94248-571	GU-500	23.82	64.3	69.3	148	27.5	27-1	30 x 28.1	4	KBD-26/ SPICER: 150089
DS-SY-00071	8-94460-860	GU-500	23.82	64.3	69.3	148	27.5	27-1	29.9 x 27.94	4	PANTHER 2.3 (C)
DS-SY-I0030	8-97020-890	GUIS-52	29	53		164	34.5	27-1		1	PANTHER 2.5 (C)
DS-SY-I0031	MN-168567	GUM-99	30	74.1		168	26	26-1	29.38 x 26.46	1	3410A010 (C)
DS-SY-00007	8-97203-126	GUIS-66	33	96	101	192	47.6	14	40 x 35	4	IS-66/NKR-66 (F)
DS-AS-IS-010	[SLIDING ASSY]GUMZ-6 SLIP YOKE+TUBE SHAFT										
DS-AS-IS-011	[SLIDING ASSY]GUIS-66 SLIP YOKE+TUBE SHAFT										
DS-SY-I0019	9-37240-002 (C-240 Y)	GUIS-52	29	53		177	34.5	17	31.7 x 28.3	1	C-240 Y
SUZUKI											
DS-SY-I0011	27140-73002	GUS-1	25	42.8		110.5	30.46	20-2	20 x 18	1	ST-100
DS-SY-00012	27140- 83001(775MO)	GUS-7	25	66.8		113	30	23-2	24.5 x 22.3	2	T-5 EXTRA (C)
DS-SY-00015	27140-60050	GUS-6	20.07	61.8		111	30.5	18-2	20 x 18	2	ST-20 (C)
FORD											
DS-SY-00058	SA53 SY	GU-1000	26.99	84.75		173.5	37.5	16	35 x 30.1	4	FORD (C)
CATERPILLAR											
DS-SY-B0017	5C	IJKO-05		42.8752		111.5	38	25	44.5 x 41.65	7	E:115.1mm(F)
KOMATSU											
DE-EY-UB0003	KOMATSU 7C			49.2		76.5	25.9	22	60 x 55.3	7	
DE-EY-UB0004	14 x -13-11890			49.2		68.2	32.9	24	65 x 60.2	7	
OTHERS											
DS-SY-B0011	MC-834555	GUM-80									
DS-SY-B0014	MC-816888	GUM-71	44	129.1		297.5	65.5	16	48 x 54	5	WITH BOLT, FM215 (C)
DS-SY-00054	IS-66	GUIS-66	33	96	101	149.8	47.6	14	40 x 35	4	
DS-SY-00055	NBC-521	521HD	26.99	84.76	88.3	160.75	X	16	40.3X34.7	4	521HD
DS-SY-00069	615339.SY	GUD-83	25	66.8		131.5	38.5	21-2	22 x 20	2	

DRIVESHAFT COMPONENTS (FOR JAPAN)




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6




TUBE SHAFT

IJE NO.	O.E.NO.		END OF SPLINE TO WELD	LENGTH OF SPLINE	SPLINE MAJOR/ MINOR DIA.	SPLINE NO.	THREAD SIZE	TYPE	APP. / DES.
		D1	K	L	D2/D3				
TOYOTA									
DS-SS-0034	37120-35160 (MIDSHIP TS)	62	121.5	28	29.75 x 26.5	23	M18 x P1.5	6	
DS-SS-0087	37110-36010-S	60	162	93	33.5 x 30.5	16		2	
DS-SS-0039	P009 (MIDSHIP TS)	62	121.5	28	25.2 x 23.8	23	M18 x P1.5	6	37120-35160
DS-SS-0060	37100-0K030 (MIDSHIP TS)	62	139	30	25.6 x 23.8	23	M18 x P1.5	6	M16 x P1.5
DS-SS-0047	BU-30 (MIDSHIP TS)	62	130	33	28.5 x 26.5	27	M20 x P1.5	6	
DS-SS-0010	37301-60010 (36010)	62	155	90	33.5 x 30.5	20		2	
DS-SS-0011-1	37301-35021	62	191.5	95.5	33.5 x 30.5	20		2	NS-203
DS-SS-0044	37301-60050	62	236	90	32.7 x 30.5	20		2	
DS-SS-0002	37120-36010	62	135	31	27.8 x 26.5	27	M20 x P1.5	6	BU30
DS-SS-0052	37301-55020	86	227.55	126	47.33 x 39			1	GUT-16
DAIHATSU									
DS-SS-0012	37110-87606 /37140-8761	60	216	120	30 x 26.7	16		1	F-80
DS-SS-0015	37110-87308	60	182	120	29.75 x 26.7	16		1	F50 / F70
DS-SS-0016	37140-87609 (TS)	60	216	120	29.8 x 26.7	16		1	F-70
ISUZU									
DS-SS-0014	C-240 TS	57	182.5	130	31.7 x 28.3	17		1	C-240
DS-SS-0086	9-37103-544-0	59.9	135	50	31.1 x 28.3	17	M20 x P1.5	6	NHR
DS-SS-0064	GUIS-66	63	167	72.6	40.35	14		3	

DRIVESHAFT COMPONENTS (FOR JAPAN)

IJE NO.	O.E.NO.		END OF SPLINE TO WELD	LENGTH OF SPLINE	SPLINE MAJOR/ MINOR DIA.	SPLINE NO.	THREAD SIZE	TYPE	APP. / DES.
		D1	K	L	D2/D3				
MITSUBISHI									
DS-SS-0050	MC803259S								FM517
DS-SS-0019	MB-000249	59.5	130	41	31.5 x 27	14	M20 x P1.5	6	FE111
DS-SS-0042	MB-563106	59.5	132	44.5	38.5 x 34.7	16	M24 x P1.5	6	PS120 FRONT
DS-SS-0020	MB-001100	59.5	178.5	95	38.5 x 27	16		3	(66A) PS100 / PS120
DS-SS-0063	MR-389336	69	100	38	27.3 x 25.4	25	M18 x P1.5	6	
DS-SS-0093	MC-816889-S	70	300	100	60.25 x 46.5	18		3	PS-220
DS-SS-0095	MN-168567	71	130	48	29.5 x 26.5	26	M22 x P1.5	6	
DS-SS-0055	MC805606 (TS)	83.5	313.5			16			
NISSAN									
DS-SS-0011	37301-3502	62	191.5	95.5	33.2	20		2	NS-203
DS-SS-0026	37115-90067	82	212.6	165	29.75	16		3	37115-90067
HINO									
DS-YS-B0002	8931	47	218	76	59.9 x 54	18		5	
DS-SS-0043	37120-6962 TS	80	245	163	53.8 x 48	16		3	37120-6962
DS-SS-0061	6860	107.6	290			16			
FORD									
DS-SS-0048	SA53	59.5	190	96	35 x 30	16		3	SA53-25-100C
DS-SS-0049	SA-53 (MIDSHIP TS)	59.5	125	33.7	27 x 25.4	26	5/8"X18	6	SA53-25-100C
OTHERS									
D-S-023	10-27-700								10-27-700 GEAR SHAFT
DS-SS-0082	87304 (MIDSHIP TS)	69	149	43.5	34.9 x 30.8	19	22 x 1.5	6	
DS-SS-0084	MR-196385 (MIDSHIP TS)	72	126	37.5	24.5 x 22.3	23	18 x 1.5	6	
DS-SS-0094	11328-0004 (MIDSHIP TS)	76.2	130	67	49.9 x 44.5	24	30 x 1.5	6	M30*P1.5
DS-SS-0021	MC-884555	106.35	303	134.5	65.3 x 57.7	20		3	
DS-SS-0037	P010 TS	46.3	158.65	72.5	29.75 x 26.7	16		2	
DS-SS-0053	37315-90013								
DS-SS-0064	GUIS-66	63	140	70	40 x 35	14		3	

UNIVERSAL JOINT



FLANGE YOKE

FIG. 1





FIG. 2





DRIVESHAFT COMPONENTS (FOR GWB)


UNIVERSAL JOINT

IJE NO.	LUBE	DESCRIPTION
IJE-587.42	CENTER	STANDARD 57 x 152.06
IJE-581.30	CENTER	STANDARD 52 x 133
IJE-587.20	CENTER	STANDARD 48 x 116.5
IJE-587.15	CENTER	STANDARD 42 x 104.5
IJE-687.20	CENTER	STANDARD 30.2 x 81.8


FLANGE YOKE

IJE NO.	PART NO.	FIG.	FLANGE DIA.	C/L OF U.J. TO FACE	PILOT DIA.	P.C.D	NO. OF HOLES	HOLE DIA.	MAX ANGLE	COMMENTS
			A	W	C	B		H		
IJE-587.42	2-587-4221	1	180	100	110	155.5	8	16.1	35°	150mm
			7.087	3.937	3.543	6.122		0.634		
	2-587-4222	2	180	100	NA	150	8	15.1	25°	
			7.087	3.937		5.906		0.594		
	2-587-42225	1	225	100	140	196	8	16.1	35°	
			8.858	3.937	5.512	7.717		0.634		
IJE-587.30	2-587-3021		150	90	90	130	8	12.1	35°	150mm
			5.906	3.543	3.543	5.118		0.476		
	2-587-4222		165	90	95	140	8	14.1	35°	165mm
			6.496	3.543	3.74	5.512		0.555		
	2-587-3022		180	90	110	155.5	8	14.1	35°	180mm
			7.087	3.543	4.33	6.122		0.555		
IJE-587.20	2-587-2021		150	90	90	130	8	12.1	35°	150mm
			5.906	3.543	3.543	5.118		0.476		
IJE-587.15	2-587-1521		150	80	90	130	8	12.1	35°	150mm
			5.906	3.15	3.543	5.118		0.476		
IJE-687.20	2-587-20100		100	58	57	84	6	8.25	25°	100mm
			3.937	2.283	2.244	3.307		0.325		
	2-587-20120		120	58	75	101.5	8	10.25	25°	120mm
			4.724	2.283	2.953	3.9936		0.404		

SLIP ASSEMBLY



WELD YOKE
















DRIVESHAFT COMPONENTS (FOR GWB)
SLIP ASSEMBLY

IJE NO.	PART NO.	INVOLUTE SPLINE O.D. & No.	C/L OF U.J. TO WELD POINT	TOTAL SLIP	TUBE SIZE
		A	L	C	
IJE-587.42	6-587-4261	80.00-30	350	110	126 X 6 - 1/2mm
		2.559	13.78	4.331	4.724 x 0.256
IJE-587.30	6-587-3061	65.00-24	330	110	92 x 6 - 1/2mm
		2.559	12.992	4.331	3.622 x 0.256
IJE-587.20	6-587-2061	55.00-20	310	110	85 x 5mm
		2.165	12.283	4.331	3.346 X 0.197
IJE-587.15	6-587-1561	52.00-19	300	110	80 x 3 - 1/2mm
		2.047	11.811	4.331	3.150 x 0.138
IJE-687.20	6-687-20223	40.00-24	223	100	76.2 x 24mm
		1.575	8.779	3.937	3 x 0.945

WELD YOKE

IJE NO.	PART NO.	C/L OF U.J. TO WELD POINT	MAX ANGLE	TUBE SIZE
		L		B
IJE-587.42	3-587-4231	103	25°	120 x 6 - 1/2mm
		4.055		4.724 x 0.256
IJE-587.30	3-587-3031	94	35°	92 x 6 - 1/2mm
		3.701		3.622 x 0.256
IJE-587.20	3-587-2031	85	35°	85 x 5mm
		3.346		3.346 x 0.197
IJE-587.15	3-587-1531	84	35°	80 x 3 - 1/2mm
		3.307		3.150 x 0.138
IJE-687.20	3-687-20	53	25°	76.2 x 24mm
		2.087		3 x 0.945

DRIVESHAFT COMPONENTS (FOR SCANIA)

IJE NO.	OE NO.	D	L	SPLINE NO.	A	HOLE PATTERN	DESCRIPTION	FIGURE
UNIVERSAL JOINT P30 & P300 SERIES								
IJSCA-2638P	337058	38	148		4.5°			
UNIVERSAL JOINT P40 & P400 SERIES								
IJSCA-3348P	337059	48	161		4.5°			
UNIVERSAL JOINT P50 & P400 SERIES								
IJSCA-4157P	337060	57	164		4.5°			
END YOKE P40 SERIES						USE KIT NO.337059	D48 x L161	
DS-EY-B0002	1115783	80	113	22	4.5°	95/126		
END YOKE P400 SERIES						USE KIT NO.337059	D48 x L161	
DS-EY-B0003	1320436	85	113	24	4.5°	95/126		
END YOKE P50 SERIES						USE KIT NO.337060	D57 x L164	
DS-EY-B0004	1115785	80	113	22	4.5°	85/132		
END YOKE P500 SERIES						USE KIT NO.337060	D57 x L164	
DS-EY-B0001	1422430	85	113	24	4.5°	85/132		
TUBE YOKE P40 SERIES						USE KIT NO.337059	D48 x L161	
DS-TY-O0066		90	72					
DS-TY-O0066-1		91	72					
TUBE YOKE P400 SERIES						USE KIT NO.337059	D48 x L161	
DS-TY-O0066-P400		91	90					
TUBE YOKE P50 SERIES						USE KIT NO.337060	D57 x L164	
DS-TY-O0065		98	75					
DS-TY-O0065-1		91	75					
TUBE YOKE P500 SERIES						USE KIT NO.337060	D57 x L164	
DS-TY-O0065-P500		99	110					
IJE NO.	OE NO.	G	L	SPLINE NO.			DESCRIPTION	
SLIP ASSY P400 SERIES						USE KIT NO.337059	D48 x L161	
DS-AS-SC-005		90	310	26				
SLIP ASSY P500 SERIES						USE KIT NO.337060	D57 x L164	
DS-AS-SC-006		98	310	30				
YOKE SHAFT P400 SERIES						USE KIT NO.337059	D48 x L161	
DS-AS-YS-O0072		180	325	26				
YOKE SHAFT P500 SERIES						USE KIT NO.337060	D57 x L164	
DS-SS-0058		75	98	24	60	155	M45 x P1.5	
MIDSHIP TUBE SHAFT P500 SERIES						USE KIT NO.337060	D57 x L164	
DS-SS-0059		75	91	22	60	152	M50 x P1.5	
MIDSHIP TUBE SHAFT P40 SERIES						USE KIT NO.337059	D48 x L161	
DS-AA-007		160	90	26	86	125		
SLIP TUBE P400 SERIES						USE KIT NO.337060	D57 x L164	
DS-AA-008		160	98	30	96	215		
SLIP TUBE P500 SERIES								

IJE NO.	O.E.NO.	DESCRIPTION	APPLICATION	MODEL	FIGURE
TOYOTA					
ST-AST-001	45209-12050		COROLLA	AE92	YES
ST-AST-002	45209-32020		CAMRY	SV 20	YES
ST-AST-003	45209-32010		COROLLA	AE 80	YES
ST-AST-004	45209-14030		COROLLA	KE70	YES
ST-AST-005	45202-27901		KIJANG	KF50 / 5K	YES
ST-AST-006	45209-16020		TERCEL	EL30	YES
ST-AST-007	45203-38030/27050		KIJANG	7K	
ST-AST-008	45209-12060		COROLLA	AE-100	
ST-AST-009	45203-38031	POWER STEERING	KIJANG 95,7K	KF-50	
ST-AST-010	45209-12080		COROLLA	AE-100	YES
ST-AST-011	45390-87501		ESPASS	S91	
ST-AST-012	45440-35070	DRAG LINK	LANDCRUISER/HILUX		
ST-AST-013	45390-26121		HI-LUX	YH51	
ST-AST-014	45210-26040	L : 910mm	HI-ACE	YH50	
ST-AST-015	45210-26020	L : 880, WITH POWER STEERING	HI-ACE	YH50	YES
ST-AST-016	45210-16020	L : 895mm, W/O POWER STEERING	HI-ACE	YH50	
ST-AST-018	45220-27110		LITEACE	KM36	YES
ST-AST-019	45390-27060		LITEACE	KM36	YES
ST-AST-020	45260-20100	STEERING ASSY, NA*1.6 / 88	CORONA	AT171 AT180	
ST-AST-021	45260-20390	PREMIO 2.0L / 97	PREMIO 2.0L/97		
ST-AST-022	45260-26020		CORONA	EXIOR 2.0 OL	
ST-AST-023	45209-12H00		ALTIS	ALTIS	
ST-AST-024	45390-26050		HIACE	LH102 2RH112	
ST-AST-025	45203-38040	L : 282mm	KIJANG	KF60 / KF70	YES
ST-AST-026	45203-38050		KIJANG	KE70	
ST-AST-027	45260-12010		COROLLA	KE70	
ST-AST-030	45260-60190				YES
ST-AST-031	45209-10020/32010				
ST-AST-034	45202-27900	SMALL	KIJANG	KF-40 / 4K	YES
ST-AST-035	45202-27902		KIJANG	KF50 / 5K	
ST-AST-036	45209-35020		HILUX	LN85 / F2J80	YES
	45209-14020		COROLLA	LH102 / 2RH11	
	45209-60070		LAND CRUISER		
ST-AST-037	45209-26020		HIACE		
ST-AST-038	45206-38040	L : 330mm	KIJANG		YES
ST-AST-040			DANA		
ST-AST-041	45209-33010	L : 120mm	CAMRY 2.0		

STEERING JOINTS & SHAFTS

IJE NO.	O.E.NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
TOYOTA					
ST-AST-043	45202-33060	L : 293mm	CAMRY 2.0/02 LONG		YES
ST-AST-044	45230-33010	L : 225mm	CAMRY 2.2		YES
ST-AST-046	45209-60060		LANDCRUISER	3F HJ80 90	
ST-AST-047	45220-60191	L : 850mm			
ST-AST-048	45260-12480	ALTIS / 2.2 / 2001 / L : 220mm	ALTIS / 2.2		YES
ST-AST-049	45220-68040	SHORT, L : 136mm	WISH 2003	WISH 2003	
ST-AST-050		LONG, L : 231mm	WISH 2003	WISH 2003	
ST-AST-051	NL650023		CAMRY 2.0 / 1988		
ST-AST-053	NL645572		PREMIO 2.0		
ST-AST-054	NL651221/ 45220-06114		CAMRY 2.0 / 2006		
ST-AST-058	NL660035		SOLEMIO 2.7/97		
ST-AST-060	NL643709	1.8/08-13	ALTIS		
ST-ASD-010	45230-30100			MS112	
ST-ASD-011	45230-35020	RUBBER JOINT	CROWN	RS100,YS120	YES
ST-ASD-012	45230-36010		LAND CRUISER, DYNA,TOWNACE	FJ45 / FJ55 / BU15 COASTER RB20, RY20 / 64-82	
ST-ASD-013	45230-14020		CRESTA / COROLLA	LX65 / KE36 / 79	
ST-ASD-014	45230-26020	COUPLING	HIACE		
HINO					
ST-ASOT-024	ST-ASOT-024	L : 547	with IJST-1948, IJDUMP-1u-joint		
NISSAN					
ST-ASN-001	48080-01A00		SUNNY B11	B11	YES
	48080-02A00		SUNNY B11	B11	YES
ST-ASH-004	34121-Z2009	ROD SHAFT N / S CW54 / 53	H1948		
ST-ASN-002	48080-W2200		BLUEBIRD 910		
ST-ASN-003	48080-50A00		SUNNY B12	B12	YES
	48080-50A01				YES
	48080-50A10				YES
	48080-13E01				YES
	48080-65Y00				YES
	48080-50Y00				YES
ST-ASE-004	48071-01W00	COUPLING		720 P/UP	YES
SUZUKI					
ST-ASHO-005	48230-80100		JIMMY SAMURAI	SJ410	

IJE NO.	O.E.NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
DAIHATSU					
ST-ASD-001	45230-87308		DELTA	V-22	
ST-ASD-003	45230-87309		DELTA	V-83	YES
ST-ASD-004	45230-87302		DELTA	SV22	
ST-ASD-007	45230-87601		RUGGER		
ST-ASD-008	45230-87502				
	45230-87504		HIJET	S75 / S88 / S89	
MITSUBISHI					
ST-ASM-001	47550-29105 (MB08052)	(MB08052)	CANTER	4DR5	
ST-ASM-002	MC-818371	MALE 4 Teeth Spline			YES
ST-ASM-003	MR-205884	L : 400mm	FREEC		YES
ST-ASM-004	MB-563602			FE447 (PS135)	YES
ST-ASM-005	MC-081000		FE114	PS100	YES
ST-ASM-006	MB 080104	Drag link assy		PS100	
ST-ASM-007	MR390499(378879)	L300 DIESEL		L300	
ST-ASM-008	MC-378373				YES
ST-ASM-011	MC-818371			FM215 / FM517	YES
ST-ASM-021	N121641	L : 200mm	DELICA 2.0 / 1999		
ST-ASM-022	N121042	L : 256.5mm	DELICA 2.5 / 1991		
ST-ASM-023	N121753	L : 210mm	DELICA 2.0 / 200		
ST-ASM-025	N100571		VIRAGE 2001		
ST-ASM-026	N143072		GALANT 2.0 / 1998		
ST-ASM-031	MC-080929 (MC-063284)	DRAG LINK ASSY		PS120	
ST-ASM-032	MB-563556 (MC-063284)	DRAG LINK ASSY		PS135	
ST-ASM-036	MR-249025		FRECCA 2.0 / 1998		
ST-AST-059	N175025		ZINGER 2.4 / 05		
MAZDA					
ST-ASMZ-002	BF68-32-090		LASER	MZ323	
ST-ASMZ-005	W001-32-051A LONG		TITAN		YES
ST-ASMZ-008	W001-32-051A SHORT		TITAN		
LAND ROVER					
ST-ASLR-001	NRC7704		LAND ROVER		
ST-ASLR-002	NRC7387	L : 92mm	LAND ROVER		YES
FORD					
ST-ASD-005	48230-85000/MZS48012		FUTURA, T-120-SS		YES
SCANIA					
ST-ASIS-002	1-33655-006-0	SCANIA 3 SERIES BUS JBR			

STEERING JOINTS & SHAFTS

IJE NO.	O.E.NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
ISUZU					
ST-ASIS-001	8-97205-136-0		GEMINI	PF 60	
ST-ASIS-003	8-97094-625-0	No Rubber, SR66	PANTHER	SR66	YES
ST-ASIS-005	8-94128-208-0		NPR		
ST-ASIS-006	8-94128-208-1	L : 249mm	NPR		YES
ST-ASIS-008	8-94205-136-1	Assy			
ST-ASIS-010	8-94128-208-4	8 1/2" L : 296.4mm Teeth : (36-7)T, (Philippine Market)			
ST-ASIS-012	8-94411-118				
ST-ASIS-013	8-97094-625	Indonesia market, Bolt 8mm	PANTHER (27110)		
ST-ASIS-018	8-97094-625-1	Short (Thailand market)	TFR / 90	8-97094-690-0	
ST-ASIS-015	8-97094-625-2	Thailand Market	PANTHER (27110)		
ST-ASIS-007	8-97094-625-3	Indonesia Market			
ST-ASIS-017		LONG, Thailand Market	TFR / 87		
ST-ASIS-014	8-94128-208-3	L : 290.9mm (Philippine Market)	NPR		
ST-ASIS-016	8-97096-763-0	L : 296.4mm	NKR66		
ST-ASIS-009	8-97094-625-R	With Rubber	PANTHER	SR66	
ST-AST-031	45209-10020				
KIA					
ST-ASKI-003	KK150-32-850				
ST-ASKI-002	MB810-32-850				
ST-ASKI-004	OK60A32550	L : 536.5mm	BONGO 2.7	1997-2002	YES
ST-ASKI-005	OK72A32860	L : 104mm 36T * (36-12-1)T	BONGO 2.7	1997-2002	YES
HONDA					
ST-ASHO-002	53323-SN4-003		ACCORD 1990		
ST-ASHO-003	53323-SL0-A51		HONDA ACCORD 1994		YES
OTHERS					
ST-ASE-002		W3			
ST-ASE-003		W4			YES
ST-ASD-009	MZS-401012	Short	T-120SS		
Steering shaft / joint for golf cart					
ST-ASOT-004	5041	FOR GOLF CART			



IJE NO.	O.E.NO.	DESCRIPTION	APPLICATION	MODEL	FIG.
US MARKET					
ST-ASUS-007	30303	3/4" bore x 3/4"bore			
ST-ASUS-008		3/4" bore x 5/8"-36T			
ST-ASUS-009		3/4"bore x 3/4"-36T			
ST-ASUS-011		7/8" bore x 7/8"bore			
ST-ASUS-012		7/8" bore x 5/8"-36T			
ST-ASUS-013		7/8" bore x 3/4"-36T			Yes
ST-ASUS-014		7/8" bore x 3/4"-48T			
ST-ASUS-015		5/8"-36T x 5/8"-36T			
ST-ASUS-016		3/4"-36T x 3/4"-36T			Yes
ST-ASUS-017		3/4"-48T x 3/4"-48T			
ST-ASUS-018		3/4" bore x 7/8 keyway and setscrew			
ST-ASUS-019		3/4"-36T x 7/8" keyway and setscrew			
ST-ASUS-020		3/4"-48T x 7/8 keyway and setscrew			
ST-ASUS-021		7/8" keyway and setscrew X 7/8" keyway and setscrew			
ST-ASUS-022		3/4" bore x 3/4"-36T			
ST-ASUS-023		3/4" bore x 3/4"-48T			
ST-ASUS-002	30305	7/8"bore x 7/8"bore			
ST-ASUS-003	30308	3/4"bore x X-30T			



ST-ASUS-016



ST-ASUS-013


STEERING JOINTS & SHAFTS

TOYOTA		
		
45209-12050	45209-32020	45209-32010
		
45202-27901	45209-16020	45209-12080
		
45220-27110	45390-27060	45260-60190
		
45230-33010	45260-12480	45230-35020
NISSAN		
		
48080-01A00 48080-02A00	48080-50A00 48080-13E01 48080-50A01 48080-65Y00 48080-50A10 48080-50Y00	48071-01W00



MITSUBISHI		
		
MC-818371	MR-205884	MB-563602
MITSUBISHI		DAIHATSU
		
MC-081000	MC-378373	45230-87309
ISUZU		MAZDA
		
8-97094-625-0	8-94128-208-1	W001-32-051A LONG
LAND ROVER	FORD	HONDA
		
NRC7387	48230-85000 / MZS48012	53323-SL0-A51
KIA		OTHERS
		
OK60A32550	OK72A32860	W3 / W4

UNIVERSAL JOINTS



Lubricator Types

0 : Lifetime lubrication

1 : Regular lube fitting on side of cross


2 : Regular lube fitting on end of bearing cup

3 : Angle lube fitting on center of cross

4 : Regular lube fitting on center of cross

5 : Dual lube fitting, regular lube on side of cross & angle lube on center of cross

SNAP RING TYPES



IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA, X, T, TYPE)	REMARK
TOYOTA							
IJT-11	A2	GUT-11	20		57	21.5 x 1.2 , IB	
IJT-11L	A0	GUT-11L	20		57	21.5 x 1.2 , IB	
IJT-12	B1	GUT-12	26	56		22.4 x 1.2 , III	INSIDE SNAP RING
IJT-12L	B0	GUT-12L	26	56		22.4 x 1.2 , III	INSIDE SNAP RING
IJT-13	B2	GUT-13	26	46		23.5 x 2.4 , III	INSIDE SNAP RING
IJT-13L	B0	GUT-13L	26	46		23.5 x 2.4 , III	INSIDE SNAP RING
IJT-14	A3	GUT-14	28.5		77.9	31 x 1.5 , IA	
IJT-15	A1	GUT-15	34		107	38 x 1.6 , I	
IJT-16	F1	GUT-16	40		118	PLATE	
IJT-17	B0	GUT-17	29	52		26.5 x 1.5 , III	INSIDE SNAP RING
IJT-20	B1	GUT-20	32	64		29.4 x 1.5 , III	INSIDE SNAP RING
IJT-21	B3	GUT-21	29	52		26.5 x 1.5 , III	INSIDE SNAP RING
IJT-21BO	B2	GUT-21BO	29	52		26.5 x 1.5 , III	INSIDE SNAP RING
IJT-22	F1	GUT-22	40		118	PLATE	
IJT-23	B3	GUT-23	29	52		26.5 x 1.5 , III	INSIDE SNAP RING
IJT-24	J0	GUT-24	22.06		57.5		
IJT-25	A1	GUT-25	27		81.8	24.9 x 2 , III	
IJT-26	H1	GUT-26	28.57				"Hole Pitch : 36.5 4C 2HWD +2RD (RD82.54)"
IJT-27	B2	GUT-27	28.57	53		25.4 x 2.4 , III	INSIDE SNAP RING
IJT-28	A3	GUT-28	35		99	38 x 1.5 , I	
IJT-29	A2	GUT-29	26.99		92.1	30 x 1.5 , IA	
IJT-30	A3	GUT-30	33.4		96	36.5 x 1.5 , I	
IJT-31	B0	GUT-31	29	50		26.5 x 1.5 , III	INSIDE SNAP RING
IJT-32	A1	GUT-32	30.18		92.05	33 x 1.5 , I	
SUZUKI							
IJS-1	B3	GUS-1	25	42.8		22.4 x 1.2 , III	INSIDE SNAP RING
IJS-2	B2	GUS-2	20.01	38		17.7 x 1.5 , III	INSIDE SNAP RING
IJS-6	J0	GUS-6	20.06		58.9		
IJS-7	A0	GUS-7	25		63.8		
IJS-8	B0	GUS-8	29	50		26.5 x 1.5 , III	INSIDE SNAP RING
IJS-9	A0	GUS-9	26		70	29.1 x 1.2 , IB	
SUBARU							
IJSR-2	B0	GUSR-2	23	47		21 x 1.2 , III	
IJSR-3	B1	GUSR-3	28	56.1		25.2 x 1.5 , III	
IJSR-4	B2	GUSR-4	25	44		22.4x 2 , III	

UNIVERSAL JOINTS

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA,X, T, TYPE)	REMARK
NISSAN							
IJN-26	A1	GUN-26	23.82		61.3	27 x 1.5 , IA	
IJN-26A	A3	GUN-26A	23.82		61.3		
IJN-27	B2	GUN-27	25	44		22.4 x 2 , III	INSIDE SNAP RING
IJN-27L	B0	GUN-27L	25	44		22.4 x 2 , III	INSIDE SNAP RING
IJN-28	B2	GUN-28	20.01	38		17.7 x 1.5 , III	INSIDE SNAP RING
IJN-28A	B3	GUN-28A	20.01	38		17.7 x 1.5 , III	INSIDE SNAP RING
IJN-28L	B0	GUN-28L	20.01	38		17.7 x 1.5 , III	INSIDE SNAP RING
IJN-29	B1	GUN-29	28	56.1		25.2 x 1.5 , III	INSIDE SNAP RING
IJN-29A	B3	GUN-29A	28	56.1		25.2 x 1.5 , III	INSIDE SNAP RING
IJN-30	A1	GUN-30	30.17		92.05	33 x 1.5 , I	
IJN-31	C4	GUN-31	32		107	PLATE	
IJN-32	A4	GUN-32	35.5		119	39 x 1.5 , I	
IJN-33	D3	GUN-33	43		128	PLATE	
IJN-34	B1	GUN-34	25	56		22.4 x 2 , III	INSIDE SNAP RING
IJN-35	B3	GUN-35	32.01	68		29.4 x 1.6 , III	INSIDE SNAP RING
IJN-36	A0	GUN-36	25		77.6	28 x 1.2 , I	
IJN-41	C3	GUN-41	43		135.9	PLATE	
IJN-43	C3	GUN-43	55		163.84	PLATE	
IJN-44	A3	GUN-44	20.5		56.5	21.5 x 1.2 , I B	
IJN-45	J0	GUN-45	20.06		52.8		
IJN-46	B0	GUN-46	27	49.1		24.5 x 1.5 , III	INSIDE SNAP RING
IJN-47	A1	GUN-47	27		81.75	30 x 1.5 , I A	
IJN-48	A1	GUN-48	27		81.8	24.9 x 2 , III	
IJN-49	A0	GUN-49	18		47	19.5x1, IB	
IJN-50	A0	GUN-50	27		74.61	29.1 x 1.5, IB	
IJN-51	A1	GUN-51	27		81.8	24.9 x 2 , III	
IJN-52	A1	GUN-52	26		82	29.1 x 1.5 , I B	
IJN-53	A0	GUN-53	25		63.8	28 x 1..35 , I	
IJN-54	A0	GUN-54	26.99		92.1	30 x 2.5 , IA	
TCM							
IJTC-4	G1	GUTC-4			107.82		Hole Pitch : 36.5 4C 4HWD
IJTC-5	G1	GUTC-5			115.05		Hole Pitch : 42.88 5C 4HWD
IJTC-6	G1	GUTC-6			140.45		Hole Pitch : 42.88 6C 4HWD
IJTC-7	G1	GUTC-7			148.38		Hole Pitch : 49.22 7C 4HWD
IJTC-8	G1	GUTC-8			107.98		Hole Pitch : 36.4 2HWD + 2HWT

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA, X, T, TYPE)	REMARK
MAZDA							
IJMZ-1	A2	GUMZ-1	25		63.8	28 x 1.35 , I	
IJMZ-2	A2	GUMZ-2	20.02		54.8	22.5 x 1.1 , I	
IJMZ-3	B3	GUMZ-3	32.01	57		29.4 x 1.6 , III	INSIDE SNAP RING
IJMZ-6	B2	GUMZ-6	28	59		25.2 x 2.95 , III	INSIDE SNAP RING
IJMZ-7	B2	GUMZ-7	25	43.6		22.4 x 1.8 , III	INSIDE SNAP RING
IJMZ-8	B3	GUMZ-8	37	71		22.4 x 1.8 , III	INSIDE SNAP RING
IJMZ-9	B2	GUMZ-9	26.5	50		24 x 1.2 , III	INSIDE SNAP RING
IJMZ-10	B2	GUMZ-10	22.5	37.9		19.5 x 1.35, III	INSIDE SNAP RING
IJMZ-11	J0	GUMZ-11	22.06		61.7		
IJMZ-12	J0	GUMZ-12	24.06		71.4		
IJMZ-13	A0	GUMZ-13	25		63.8	28 x 1.2 , I	
IJMZ-14	A2	GUMZ-14	25		63.8	28 x 1.2 , I	
IJMZ-15	A1	GUMZ-15	27		81.8	24.9 x 2 , III	
IJMZ-16	A2	GUMZ-16	26.99		92.1	30 x 1.5 , I A	
HINO							
IJH-61	D3	GUH-61	47		124	PLATE	
IJH-62	D3	GUH-62	47		138	PLATE	
IJH-63	A3	GUH-63	35		99	38 x 1.5 , I	
IJH-64	D1	GUH-64	50		159	PLATE	
IJH-65	A1	GUH-65	36		110.3	39 x 1.5 , I	
IJH-66	A3	GUH-66	23.82		66	27 x 1.5 , I A	
IJH-67	G1	GUH-67			148.38		
IJH-68	C3	GUH-68	47		144	PLATE	
IJH-69	A2	GUH-69	20		57	21.5 x 1.2 , I B	
IJH-70	C3	GUH-70	47		130	PLATE	
IJH-71	C3	GUH-71	47		144	PLATE	
IJH-72	C3	GUH-72	47		144	PLATE	
IJH-73	C3	GUH-73	50		165	PLATE	
IJH-74	A1	GUH-74	36		115.6	39 x 2.2 , I	
IJH-75	C3	GUH-75	58		175	PLATE	
IJH-76	A3	GUH-76	40		116	44 x 2 , I A	
IJH-77	A0	GUH-77	44		126	47 x 2.4/2.0 , I	
HONDA							
IJHO-2	A2	GUHO-2	25		63.8	28 x 1.35 , I	
IJHO-3	A0	GUHO-3	22		65	24 x 1.2 , I	
IJHO-4	J0	GUHO-4	20.06		52.8		

UNIVERSAL JOINTS

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA,X, T, TYPE)	REMARK
MITSUBISHI							
IJM-71	C3	GUM-71	44		129	PLATE	
IJM-72	A3	GUM-72	36		104	40 x 2.5 , I	
IJM-73	A1	GUM-73	27		81.75	30 x 1.5 , I A	
IJM-75	A3	GUM-75	31.75		102	30 x 1.5 , I A	
IJM-76	A1	GUM-76	25		77.8	28 x 1.2 , I	
IJM-77	A2	GUM-77	27		65.3	29.10 x 1.5 , I B	
IJM-78	A2	GUM-78	25		63.8	28 x 1.35 , I	
IJM-79	A2	GUM-79	25		63.8	28 x 1.35 , I	
IJM-80	C3	GUM-80	46		142	PLATE	
IJM-81	A2	GUM-81	25		63.8	28 x 1.35 , I	
IJM-81L	A0	GUM-81L	25		63.8	28 x 1.35 , I	NO GREASE FITTING
IJM-82	A3	GUM-82	38		104	43x2.5, I	
IJM-83	C3	GUM-83	52		153.85	PLATE	
IJM-84	A2	GUM-84	26		68	28 x 1.35 , I	
IJM-85	J0	GUM-85	22.06		64.5	22.4x1	
IJM-86	A3	GUM-86	28.5		77.9	31 x 1.5 , I A	
IJM-87	A3	GUM-87	30		78.1	32.1 x 1.2 , I B	
IJM-88	A0	GUM-88	25		76.8	28 x 1.35 , I	
IJM-89	J0	GUM-89	22.06		67		
IJM-90	C3	GUM-90	46		148	PLATE	
IJM-91	A1	GUM-91	25		76.8	PLATE	
IJM-92	A2	GUM-92	20.02		54.8	22.5 x 1.1 , I	
IJM-93	B3	GUM-93	30	58.1		27.5 x 1.5 , III	INSIDE SNAP RING
IJM-94	A3	GUM-94	40		112	44 x 2 , I	
IJM-95	B0	GUM-95	22.01	40		19.5 x 1.35 , III	INSIDE SNAP RING
IJM-96	C3	GUM-96	52		170	PLATE	
IJM-97	A3	GUM-97	44		131	47 x 2 , I	
IJM-98	D	GUM-98	49.2		154	PLATE	
IJM-99	B3	GUM-99	30	74.1		27.5 x 1.5 , III	INSIDE SNAP RING
HYUNDAI							
IJK-12	A5	GUK-12	27		80.12	24.5 X 1.5 , III	
IJK-13		GUK-13	24.06		74.5	Staked type	NO SNAP RINGS
IJK-14	B1	GUK-14	28	51.4		25.2x1.5 , III	INSIDE SNAP



IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA,X, T, TYPE)	REMARK
ISUZU							
IJIS-51	A1	GUIS-51	23.82		61.3	27 x 1.5 , IA	
IJIS-52	B1	GUIS-52	29	53		26.5 x 2 , III	INSIDE SNAP RING
IJIS-52A	B3	GUIS-52A	29	53		26.5 x 2 , III	INSIDE SNAP RING
IJIS-54	C1	GUIS-54	36		97	PLATE	
IJIS-55	C3	GUIS-55	42		125	PLATE	
IJIS-56	A1	GUIS-56	23.82		61.3	25.9 x 1.5 , IB	
IJIS-57	C3	GUIS-57	47.98		145	PLATE	
IJIS-58	C1	GUIS-58	36		97	PLATE	
IJIS-59	A3	GUIS-59	20.5		56.5	21.5 x 1.2 , IB	
IJIS-60	G1	GUIS-60			148.38		7C 4LWT HOLE PITCH 49.22
IJIS-61	A1	GUIS-61	23.82		61.3	27 x 1.5 , IA	
IJIS-62	A3	GUIS-62	35		103.92	40.5 x 2 , I	
IJIS-63	J0	GUIS-63	22.06		61.7		
IJIS-64	A3	GUIS-64	40		115	44 x 2 , IA	
IJIS-65	C3	GUIS-65	45.98		136	PLATE	
IJIS-66	A3	GUIS-66	33		93	35.5 x 2 , I	
IJIS-67	G3	GUIS-67			174		4LWT
IJIS-68	C3	GUIS-68	50		155	PLATE	
IJIS-69	A1	GUIS-69	27		81.75	30 x 1.5 , IA	
IJIS-70	B0	GUIS-70	29	53			INSIDE SNAP RING
IJIS-71	B2	GUIS-71	29	53		26.5 x 2.5 , III	INSIDE SNAP RING
IJIS-72	A3	GUIS-72	42		115	45.5 x 2 , I	
IJIS-73	A2	GUIS-73	33		103	35.5 x 2 , I	
IJIS-74	B2	GUIS-74	29	69	69	26.5 x 1.5 , III	INSIDE SNAP RING
IJIS-74L	B0	GUIS-74L	29	69	69	26.5 x 1.5 , III	INSIDE SNAP RING
IJIS-75	B0	GUIS-75	29	50	50	26.5 x 1.5 , III	INSIDE SNAP RING

UNIVERSAL JOINTS

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA,X, T, TYPE)	REMARK
HINO							
IJH-61	D3	GUH-61	47		124	PLATE	
IJH-62	D3	GUH-62	47		138	PLATE	
IJH-63	A3	GUH-63	35		99	38 x 1.5 , I	
IJH-64	D1	GUH-64	50		159	PLATE	
IJH-65	A1	GUH-65	36		110.3	39 x 1.5 , I	
IJH-66	A3	GUH-66	23.82		66	27 x 1.5 , IA	
IJH-67	G1	GUH-67			148.38	49.22, 7C 4LWT	
IJH-68	C3	GUH-68	47		144	PLATE	
IJH-69	A2	GUH-69	20		57	21.5 x 1.2 , IB	
IJH-70	C3	GUH-70	47		130	PLATE	
IJH-71	C3	GUH-71	47		144	PLATE	
IJH-72	C3	GUH-72	47		144	PLATE	
IJH-73	C3	GUH-73	50		165	PLATE	
IJH-74	A1	GUH-74	36		115.6	39 x 2.2 , I	
IJH-75	C3	GUH-75	58		175	PLATE	
IJH-76	A3	GUH-76	40		116	44 x 2 , I A	
IJH-77	A0	GUH-77	44		126	47 x 2.4/2.0 , I	
DAIHATSU							
IJD-81	A2	GUD-81	20.02		54.8	22.5 x 1.1 , I	
IJD-81L	A0	GUD-81L	20.02		54.8	22.5 x 1.1 , I	
IJD-82	A3	GUD-82	28		80	31 x 1.5 , IA	
IJD-83	A2	GUD-83	25		63.8	28 x 1.35 , I	
IJD-84	A3	GUD-84	28		80	31 x 1.5 , IA	
IJD-85	B1	GUD-85	28.57	65.11		25.4 x 2.4 , III	INSIDE SNAP RING
IJD-86	A2	GUD-86	20.02		54.8	22.5 x 1.1 , I	
IJD-86L	A0	GUD-86L	20.02		54.8	22.5 x 1.1 , I	
IJD-87	A3	GUD-87	28		80	31 x 1.5 , IA	
IJD-88	B2	GUD-88	22.5	37.6		19.5 x 1.35 , III	INSIDE SNAP RING
IJD-89	B3	GUD-89	30	58.1		27.5 x 1.5 , III	INSIDE SNAP RING
IJD-90	A3	GUD-90	35		99	38 x 1.5 , I	

IJE NO.	FIG.	GMB NO.	HOLE PITCH	D m/m	L m/m	SNAP RING (DIA,X, T, TYPE)	REMARK
KOMATSU							
IJKO-1	G2	GUKO-1	33.32		79.22		2LWT+2LWD(1BO)
IJKO-2	G2	GUKO-2	33.32		79.22		4LWD(1BO)
IJKO-3		GUKO-3	33.32		79.22		YOKE ASSY
IJKO-4	G1	GUKO-4	36.5		107.82		4HWD
IJKO-5	G1	GUKO-5	42.88		115.05		4HWD
IJKO-6	G1	GUKO-6	42.88		140.45		4HWD
IJKO-8	G1	GUKO-8	71.44		165.01		4HWD
IJKO-12	G2	GUKO-12	33.32		79.22		
IJKO-13	A1	GUKO-13		23.82	61.3		
IJKO-15	G1	GUKO-15	49.22		148.38		4HWD
IJKO-16	A3	GUKO-16		38.95	109.4		
IJKO-17	A1	GUKO-17		30.18	92.05	33 x 1.5, I	
IJKO-18	G1	GUKO-18	42.88		115.05		4HWD
IJKO-19	G1	GUKO-19	42.88		115.05		4HWD
IJKO-20	G1	GUKO-20	36.5		107.82		4LWT
IJKO-21	G1	GUKO-21	42.88		140.45		4HWD
IJKO-22	G1	GUKO-22	42.88		140.45		4HWD
IJKO-23	G1	GUKO-23					N/A
IJKO-25	G1	GUKO-25	36.5		107.82		4HWD
IJKO-26	G1	GUKO-26	42.88		140.45		4HWD
IJKO-27	G1	GUKO-27	49.22		148.38		4HWD
IJKO-28	G1	GUKO-28	42.88		115.05		4HWD
IJKO-29	H1	GUKO-29	42.88	33.33	140.45		2HWD+2RD
IJKO-30	H1	GUKO-30	42.88	32	115.05		2HWD+2RD

(1BO):REGULAR LUBE FITTING ON END OF BEARING

OTHERS							
IJDUMP-1	A3	GUDUMP-1	20		57.5	21.5 x 1.2, I B	
IJDUMP-2	A3	GUDUMP-2	25		77	21.5 x 1.2, I B	
IJDUMP-3	A3	GUDUMP-3	22		62	24.5 x 1.3, I	
IJDUMP-4	A3	GUDUMP-4	20		56.5	21.5 x 1.2, I B	
IJDUMP-5	B2	GUDUMP-5	25	44		22.4 x 2, III	INSIDE SNAP RING

UNIVERSAL JOINTS

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	SNAP RING (DIA, X, T, TYPE)	REMARK
AGRICULTURAL (EUROPEAN)							
IJA-1	A3	GUA-1	47		18		
IJA-2	A3	GUA-2	51.95		19.04		
IJA-3	A3	GUA-3	54		22		
IJA-4	A3	GUA-4	54.8		22		
IJA-5	A3	GUA-5	61.3		23.82		
IJA-6	A3	GUA-6	72.1		24.98		
IJA-7	A3	GUA-7	70		27		
IJA-8	A3	GUA-8	74.3		27		
IJA-9	A3	GUA-9	80		29		
IJA-10	A3	GUA-10	81.7		30		
IJA-11	A3	GUA-11	80		30.2		
IJA-12	A3	GUA-12	92.05		30.18		
IJA-13	A3	GUA-13	106.3		30.18		
IJA-14	A3	GUA-14	75.9		32		
IJA-15	B3	GUA-15	56	56	34		INSIDE SNAP RING
IJA-16	A3	GUA-16	106.58		34		
IJA-17	A3	GUA-17	106.3		34.92		
IJA-18	A3	GUA-18	115.95		39.69		
IJA-19	A3	GUA-19	106.5		34.92		
IJA-20	A3	GUA-20	88.9		36		
IJA-21	A1	GUA-21	118		41		
IJA-22	I3	GUA-22	97		23.82 (SD27)		CONVERSION TYPE
IJA-23	I3	GUA-23	94		27 (SD32)		CONVERSION TYPE
IJA-24	I3	GUA-24	77		22 (23.82)		CONVERSION TYPE
STEERING JOINTS							
IIST-1538	J0	ST-1538	15.05		38		
IIST-1539	J0	ST-1539	15.05		39		
IIST-1540	J0	ST-1540	15.05		40		
IIST-1638	J0	ST-1638	16.05		38		
IIST-1640	J0	ST-1639	16.05		39		
IIST-1847	J0	ST-1640	16.05		40		
IIST-1948	J0	ST-1948	19.06		48		

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	REMARK
EUROPEAN & AMERICAN VEHICLES						
IJ-200L	A0	GU-200L	24		63.3	
IJ-297	J0	GU-297	24.06		78.4	
IJ-300	A3	GU-300	19.04		51.95	
IJ-350	A3	GU-350	19.04		51.95	
IJ-350L	A0	GU-350L	19.04		51.95	
IJ-400	A0	GU-400	23.82		61.3	
IJ-410	A0	GU-410	24		63.3	
IJ-500	A1	GU-500	23.82		61.3	
IJ-500A	A3	GU-500A	23.82		61.3	
IJ-500L	A0	GU-500L	23.82		61.3	
IJ-510	A1	GU-510	23.82		61.3	
IJ-600	A0	GU-600	23.82		61.3	
IJ-700	A2	GU-700	26.99		60.3	
IJ-720	A3	GU-720	25		56.9	
IJ-730	A3	GU-730	25		56.9	
IJ-800	I	GU-800	26.99		61.95	
IJ-1000	A1	GU-1000	26.99		81.75	
IJ-1000L	A0	GU-1000L	26.99		81.75	
IJ-1020	B0	GU-1020	26.99	55.59		INSIDE SNAP RING
IJ-1100	C	GU-1100	26.99		74.6	
IJ-1100A	A3	GU-1100A	27.99		74.6	
IJ-1100L	A0	GU-1100L	28.99		74.6	
IJ-1210	A2	GU-1210	26.99		61.95	
IJ-1210L	A0	GU-1210L	26.99		61.95	
IJ-1310SP	A0	GU-1310SP	27		81.94	
IJ-1330SP	A0	GU-1330SP	27		92.24	
IJ-1550	A1	GU-1550	34.92		126.1	
IJ-1600	A3	GU-1600	23		58.2	
IJ-1650	A2	GU-1650	22.03		58.8	
IJ-1660	A2	GU-1660	22.03		58.8	
IJ-1670	J0	GU-1670	24.06		62.4	
IJ-1700	A3	GU-1700	22		55.6	
IJ-1700L	A0	GU-1700L	22		55.6	
IJ-1710	B2	GU-1710	24	44		INSIDE SNAP RING
IJ-1720	B1	GU-1720	28	48		INSIDE SNAP RING
IJ-1730	A3	GU-1730	23.82		62.4	
IJ-1740	B0	GU-1740	31	48.1		INSIDE SNAP RING
IJ-1760	J0	GU-1760	22.06		67	

UNIVERSAL JOINTS

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	REMARK
IJ-1760	J0	GU-1760	22.06		67	
IJ-1770	J0	GU-1770	22.06		64	
IJ-2000	J0	GU-2000	30.18		106.3	
IJ-2000L	A0	GU-2000L	30.18		106.3	
IJ-2010	A1	GU-2010	32		106.3	
IJ-2050	A1	GU-2050	30.18		106.3	
IJ-2050L	A0	GU-2050L	30.18		106.3	
IJ-2200	A1	GU-2200	30.18		92.05	
IJ-2200L	A0	GU-2200L	30.18		92.05	
IJ-2210	B1	GU-2210	30.18	64.91		INSIDE SNAP RING
IJ-2300	A1	GU-2300	34.92		106.3	
IJ-2300A	B3	GU-2300A	34.92		106.3	
IJ-2500	B1	GU-2500	31.25	50.05		INSIDE SNAP RING
IJ-2560	B1	GU-2560	30	60		INSIDE SNAP RING
IJ-2600	F1	GU-2600	31.25	75.4		INSIDE SNAP RING
IJ-2770	J0	GU-2770	29.03		74.85	
IJ-2970	D1	GU-2970	24.06		78.4	
IJ-3000	A1	GU-3000	39.69		115.95	
IJ-3500	A0	GU-3500	39.69		115.95	
IJ-3500L	A4	GU-3500L	39.69		115.95	
IJ-3500A	A4	GU-3500A	39.69		115.95	
IJ-3800	E1	GU-3800	44.04		126	
IJ-3810	E3	GU-3810	50		152.6	
IJ-3820	E3	GU-3820	50		152.6	
IJ-3840	A1	GU-3840	44		149	
IJ-3850	A1	GU-3850	39		127	
IJ-3860	A1	GU-3860	50		164	
IJ-3870	A1	GU-3870	44		149	
IJ-3880	A1	GU-3880	50		164	
IJ-4000	D1	GU-4000	47.62		134.9	
IJ-4010	D1	GU-4010	49		135	
IJ-5000	D1	GU-5000	49.2		154.74	
IJ-5010	D1	GU-5010	49		154.96	
IJ-5950	B2	GU-5950	25.4	43.6		INSIDE SNAP RING
IJ-5950L	B0	GU-5950L	25.4	43.6		INSIDE SNAP RING
IJ-5960	H2	GU-5960	25.4		33.34	(RD43.60) P:65.05, R:33.34
IJ-5970	H2	GU-5970	25.4		34.34	(RD43.60) P:72.52, R:33.34
IJ-5970L	H0	GU-5970L	25.4		35.34	(RD43.60)
IJ-6100	H1	GU-6100	25.4		36.34	(RD59.55)

IJE NO.	FIG.	GMB NO.	D m/m	O m/m	L m/m	REMARK
IJ-6200	B1	GU-6200	25.4	59.55		INSIDE SNAP RING
IJ-7000	B3	GU-7000	28	46.36		INSIDE SNAP RING
IJ-7010	B2	GU-7010	24	39	34.4	INSIDE SNAP RING
IJ-7010L	B0	GU-7010L	24	39		INSIDE SNAP RING
IJ-7020	B0	GU-7020	29	56.7		INSIDE SNAP RING
IJ-7050	A0	GU-7050	28.98		75.44	ASSY SIZE (64.00)
IJ-7060	A0	GU-7060	28.98		75.44	ASSY SIZE 75.46 (64.00)
IJ-7100	H2	GU-7100	25.4	33		(RD43.60) P:65, R:33
IJ-7100L	H0	GU-7100L	25.4	33		(RD43.60)
IJ-7150	B2	GU-7150	25.4	46.6		INSIDE SNAP RING
IJ-7200	B3	GU-7200	34	56		INSIDE SNAP RING
IJ-7280	B1	GU-7280	28	52.4		INSIDE SNAP RING
IJ-7280/3	B0	GU-7280/3	28		52.4	INSIDE SNAP RING
IJ-7280/4	J0	GU-7280/4	24.06		74.4	
IJ-7300	B3	GU-7300	38		62	INSIDE SNAP RING
IJ-7390	A3	GU-7390	50		153.8	
IJ-7410	A3	GU-7410	26		69.8	
IJ-7410L	A0	GU-7410L	26		69.8	
IJ-7420	A3	GU-7420	30		81.7	
IJ-7430	A0	GU-7430	35		96.8	
IJ-7440	A3	GU-7440	38		106.1	
IJ-7460	A5	GU-7460	44		124.8	
IJ-7470	B3	GU-7470	42	72		INSIDE SNAP RING
IJ-7490	A3	GU-7490	45.04		118.1	
IJ-7530	A3	GU-7530	45.04		120.4	
IJ-7540	A3	GU-7540	45.04		121.6	
IJ-7560	A3	GU-7560	52.05		133	
IJ-7590	A3	GU-7590	52		133	
IJ-7610	A3	GU-7610	53		135	
IJ-7630	A3	GU-7630	57		152	
IJ-7800	A3	GU-7800	22		59	
IJ-7800L	A0	GU-7800L	22		59	
IJ-7900	B3	GU-7900	26.01	47.8		INSIDE SNAP RING
IJ-8100	A3	GU-8100	47		131.1	
IJ-8110	A3	GU-8110	50		131	
IJ-8130	A3	GU-8130	57		144	
IJ-9010	A3	GU-9010	19.02		47.8	
IJ-5970L	H0	GU-5970L	25.4		35.34	(RD43.60)
IJ-6100	H1	GU-6100	25.4		36.34	(RD59.55)